PCT LD INTELLECTUAL PROPERTY ORGANIZATIO
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : C12N 15/12, 5/10, C07K 14/47, 16/18, C12Q 1/68, G01N 33/50	A1	(11) International Publication Number: **WO 97/25423** (43) International Publication Date: 17 July 1997 (17.07.97)

(21) International Application Number: PCT/US97/00100

(22) International Filing Date: 6 January 1997 (06.01.97)

(30) Priority Data:
08/583,562 5 January 1996 (05.01.96) US

(71) Applicant: ICOS CORPORATION [US/US]; 22021 20th Avenue, S.E., Bothell, WA 98021 (US).

(72) Inventors: STAUNTON, Donald, E.; 6502 113th Avenue, N.E., Kirkland, WA 98033 (US). HARRIS, Edith, A., Salot; 6825 31st Avenue, N.E., Seattle, WA 98115 (US).

(74) Agent: NOLAND, Greta, E.; Marshall, O'Toole, Gerstein, Murray & Borun, 6300 Sears Tower, 233 South Wacker Drive, Chicago, IL 60606-6402 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published
With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: CYTOPLASMIC MODULATORS OF INTEGRIN BINDING

(57) Abstract

The present invention relates to purified and isolated polynucleotides encoding a polypeptide which specifically bind to a cytoplasmic portion of an integrin. Specifically, the invention provides an FLP-1-encoding polynucleotide and the polypeptide product of the gene. Expression vectors comprising the polynucleotide, antibodies which recognize the polypeptide, hybridomas which secrete the antibodies, and method to identify modulators of interaction of the polypeptide with β_7 subunits sequences are also provided.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	**GB**	United Kingdom	**MW**	Malawi
AT	Austria	**GE**	Georgia	**MX**	Mexico
AU	Australia	**GN**	Guinea	**NE**	Niger
BB	Barbados	**GR**	Greece	**NL**	Netherlands
BE	Belgium	**HU**	Hungary	**NO**	Norway
BF	Burkina Faso	**IE**	Ireland	**NZ**	New Zealand
BG	Bulgaria	**IT**	Italy	**PL**	Poland
BJ	Benin	**JP**	Japan	**PT**	Portugal
BR	Brazil	**KE**	Kenya	**RO**	Romania
BY	Belarus	**KG**	Kyrgystan	**RU**	Russian Federation
CA	Canada	**KP**	Democratic People's Republic of Korea	**SD**	Sudan
CF	Central African Republic			**SE**	Sweden
CG	Congo	**KR**	Republic of Korea	**SG**	Singapore
CH	Switzerland	**KZ**	Kazakhstan	**SI**	Slovenia
CI	Côte d'Ivoire	**LI**	Liechtenstein	**SK**	Slovakia
CM	Cameroon	**LK**	Sri Lanka	**SN**	Senegal
CN	China	**LR**	Liberia	**SZ**	Swaziland
CS	Czechoslovakia	**LT**	Lithuania	**TD**	Chad
CZ	Czech Republic	**LU**	Luxembourg	**TG**	Togo
DE	Germany	**LV**	Latvia	**TJ**	Tajikistan
DK	Denmark	**MC**	Monaco	**TT**	Trinidad and Tobago
EE	Estonia	**MD**	Republic of Moldova	**UA**	Ukraine
ES	Spain	**MG**	Madagascar	**UG**	Uganda
FI	Finland	**ML**	Mali	**US**	United States of America
FR	France	**MN**	Mongolia	**UZ**	Uzbekistan
GA	Gabon	**MR**	Mauritania	**VN**	Viet Nam

CYTOPLASMIC MODULATORS OF INTEGRIN BINDING

This application is a continuation-in-part of co-pending U.S. Patent Application Serial No. 08/583,562 which was filed on January 5, 1996.

Field of the Invention

The present invention relates generally to filamine-like integrin binding proteins and more particularly to the cloning and expression of a novel filamine-like protein, FLP-1.

Background

A significant characteristic of the immune and inflammatory responses is the movement of leukocytes from the bloodstream into specific tissues in response to various physiological signals. For example, certain subsets of lymphocytes "home" to various secondary lymphoid tissues such as lymph nodes or Peyer's patches, and eventually return to circulation. Other leukocytes such as granulocytes and monocytes, however, do not return to circulation after transmigration from the bloodstream. Movement of leukocytes from circulation is effected by a series of receptor/counter-receptor interactions which are coordinated by various specific membrane adhesion molecules.

Extravasation of leukocytes from the bloodstream [for review, see McEver, *Curr. Opin. Cell Biol.* **4**:840-849 (1992)] is initially effected by a family of membrane glycoproteins termed selectins which are either expressed constitutively or induced in response to specific cytokines. Binding of selectins to their counterpart ligand brings leukocytes into close, but not static, contact with vascular endothelial cells. The "tethered" leukocyte then begins a "rolling" process along the endothelium which continues until additional molecular interactions firmly stabilize a specific cell/cell interaction. One of the molecular binding activities which results in the stable interaction is effected by a second family of surface glycoproteins called integrins which possess a higher binding affinity for their respective ligands than selectins.

The integrins are heterodimeric surface molecules comprised of an α and a β subunit in non-covalent association. All integrins are transmembrane proteins with counter-receptor binding activity localized in the extracellular domain. Integrins also possess relatively short cytoplasmic regions which participate in transmembrane signaling events. Integrins are capable of interacting with other cell-bound counter-receptors and components of the extracellular matrix, as well as soluble factors. Binding of extracellular ligands leads to crosslinking and localized clustering of integrins [Miyamoto, *et al.*, *Science* **267**:833, 1995] and formation of focal adhesions wherein the clustered integrin cytoplasmic domains associate with cytoskeletal components including, for example, actin filaments [Pavalko and Otey, *Proc. Soc. Exp. Biol. Med.* **205**:32767, 1994, and Gumbiner, *Neuron* **11**:551, 1993]. While most investigations into integrin physiological activity have focused on identifying specific counter-receptors using immunological methodologies as discussed *infra*, less is known about the specific interactions of integrins with cytoplasmic components. Mutation studies, however, have indicated that the cytoplasmic sequences are required for integrin association with focal contacts and integrin dependent cell adhesion [LaFlamme, *et al.*, *J. Cell. Biol.* **117**:437 (1992)]. Other data discussed *infra* support this observation.

While numerous integrins have been identified, certain subsets are unique to leukocytes, with each member of the subset having characteristic cell-specific expression and counter-receptor binding properties. Of leukocyte-specific integrins, at least three β_2 integrins are known, each comprised of a unique α subunit in association with a β_2 subunit (designated CD18) [Kishimoto, *et al.*, *Cell* **48**:681-690 (1987)]. For a recent review of the state of the art with regard to β_2 integrins, see Springer, *Cell* **76**:301-314 (1994). CD11a/CD18, also known as $\alpha_L\beta_2$ or LFA-1, is expressed on all leukocytes and has been shown to bind to ICAM-1, ICAM-2, and ICAM-3. CD11b/CD18, also know as $\alpha_M\beta_2$ or Mac-1, is expressed on polymorphonuclear neutrophils, monocytes and eosinophils and has been shown to bind to ICAM-1, complement factor iC3b, factor X, and fibrinogen.

CD11c/CD18, also known as $\alpha_X\beta_2$ or p150,95, is expressed on monocytes, polymorphonuclear neutrophils and eosinophils and has been shown to bind to complement factor iC3b and fibrinogen. In addition, a fourth human β_2 integrin, designated $\alpha_d\beta_2$, has recently been identified [Van der Vieren, *et al.*, *Immunity* 3:683-690 (1995)]. Recently, it has been demonstrated that the actin-binding protein, filamin, directly binds to a cytoplasmic portion of β_2 subunits [Sharma, *et al.*, *J. Immunol.* **154**:3461-3470 (1995)] which suggests a role for one or more of the β_2 integrins in formation of focal contacts and cell motility in general [see review in Arnaout, *Blood* **75**:1037 (1990)].

A second subset of leukocyte specific integrins may be referred to as the α_4 integrins in view of the fact that both members of the family are comprised of a common α_4 subunit in association with either a β_1 or β_7 subunit. For a recent review, see Springer, *supra*. VLA-4, also referred to as $\alpha_4\beta_1$ or CD49d/CD29, is expressed on most peripheral blood leukocytes except neutrophils and specifically binds VCAM-1 and fibronectin. LPAM-1, also known as $\alpha_4\beta_7$, is expressed on all peripheral blood leukocytes and has been shown to bind MadCAM-1, fibronectin and VCAM-1. Expression of either of the α_4 integrins has also been demonstrated in a wide range of leukocyte cell types in lymphoid organs and in various tissues (Hemler *et al.*, *Immunol. Rev.* **114**:45-60, 1990; Kilshaw *et al.*, *Eur. J. Immunol.* **20**:2201-2207, 1990; Schweighoffer *et al.*, *J. Immunol.* **151**:717-729, 1993; and Lazarovits and Karsh, *J. Immunol.* **151**:6482-6489, 1993). Consistent with the observed participation of β_2 integrins in formation of focal contacts, presumably through filamin binding, it has previously been shown that cytoplasmic portions of β_1 integrins directly bind α-actinin *in vitro*. While this interaction has not been demonstrated *in vivo*, it suggests physiological involvement of β_1 integrins in cell mobility and/or maintenance of cell morphology [see review in Clark and Brugge, *Science* **268**:233-238 (1995)].

A number of *in vitro* and *in vivo* studies utilizing anti-α_4 monoclonal antibodies have indicated a role for the α_4 integrins in various pathophysiological conditions [see review, Lobb and Hemler, *J. Clin. Invest.*

94:1722-1728 (1994)]. For example, several investigations have provided evidence that α_4 integrins are involved in leukocyte emigration from peripheral blood into regions of inflammation (Weg, *et al.*, *J. Exp. Med.* **177**:561-566, 1992; Winn and Harlan, *J. Clin. Invest.* **92**:1168-1173, 1993). These observations suggest that anti-α_4 antibodies may be capable of ameliorating integrin-associated disease states, and this therapeutic potential has been demonstrated in several animal disease state models. For example, bolus injection of antibodies to α_4 integrins delayed the onset of paralysis in rat and murine experimental allergic encephalomyelitis (Yednock, *et al.*, *Nature* **356**:63-66, 1992; Baron, *et al.*, *J. Exp. Med.* **177**:57-68, 1993). Prophylactic administration of anti-α_4 antibodies reduced ear swelling in murine contact hypersensitivity models (Ferguson, *et al.*, *J. Immunol.* **150**:1172-1182, 1993; Nakajima, *et al.*, *J. Exp. Med.* **179**:1145-1154, 1994). Further, anti-α_4 antibodies were shown to reduce infiltration of pancreatic islets and delay the onset of diabetes in non-obese diabetic mice which are prone to spontaneous development of type I diabetes (Yang, *et al.*, *Proc. Natl. Acad. Sci. (USA)* **90**:10494-10498. 1993; Burkly, *et al.*, *Diabetes* **43**:529-534, 1994; Baron, *et al.*, *J. Clin. Invest.* **93**:1700-1708, 1994). Still other *in vivo* studies using anti-α_4 antibodies suggest a role for α_4 integrins in allergic lung inflammation (Pretolani, *et al.*, *J. Exp. Med.* **180**:795-805 (1994); Milne and Piper, *Br. J. Pharmacol.* **112**:82Pa(Abstr), 1994); inflammatory bowel disease (Podolsky, *et al.*, *J. Clin. Invest.* **92**:372-380, 1993); cardiac allograft rejection (Paul, *et al.*, *Transplantation* **55**:1196-1199, 1993); acute nephrotoxic nephritis (Mulligan, *et al.*, *J. Clin. Invest.* **91**:577-587, 1993); and immune complex mediated lung injury (Mulligan, *et al.*, *J. Immunol.* **159**:2407-2417, 1993).

Thus there exists a need in the art to identify molecules which bind to and/or modulate the binding and/or signalling activities of the integrins and to develop methods by which these molecules can be identified. The methods, and the molecules thereby identified, will provide practical means for therapeutic intervention in α_4 integrin-mediated immune and inflammatory responses.

Brief Description of the Invention

In one aspect, the present invention provides novel purified and isolated polynucleotides (*e.g.*, DNA and RNA transcripts, both sense and antisense stands) encoding a filamin-like β_7 integrin binding protein designated FLP-1. or variants thereof (*i.e.*, deletion, addition or substitution analogs) which possess binding and/or immunological properties inherent to FLP-1. Preferred DNA molecules of the invention include cDNA, genomic DNA and wholly or partially chemically synthesized DNA molecules. Presently preferred polynucleotides include the DNA as set forth in SEQ ID NO:1, encoding the polypeptide according to SEQ ID NO:2. Alternatively, a preferred polynucleotide encodes a polypeptide according to SEQ ID NO: 2 except that the amino acid at position 146 is a proline rather than a leucine, the amino acid at position 442 is a proline rather than an alanine and the amino acid at position 548 is a valine rather than a methionine. Such a polynucleotide would hybribize to the DNA set out in SEQ ID NO: 1.

Preferred polynucleotides of the invention comprise the cDNA set out in SEQ ID NO: 1 and DNAs which hybridize to the non-coding strands thereof under stringent conditions or which would hybridize but for the redundancy of the genetic code. Exemplary stringent hybridization conditions are as follows: hybridization at 42°C in 5X SSPE and a final wash at 65°C in 0.2X SSC. It is understood by those of skill in the art that variation in these conditions occurs based on the length and GC nucleotide content of the sequences to be hybridized. Formulas standard in the art are appropriate for determining exact hybridization conditions. See Sambrook, *et al.*, Eds. 9.47-9.51 in *Molecular Cloning*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York (1989).

Also provided are recombinant plasmid and viral expression constructs which include FLP-1 encoding sequences, wherein the FLP-1 encoding sequence is operatively linked to a homologous or heterologous transcriptional regulatory element or elements.

As another aspect of the invention, prokaryotic or eukaryotic

host cells, transformed or transfected with polynucleotide sequences of the invention, are provided which express FLP-1 polypeptides or variants thereof. Host cells of the invention are particularly useful for large scale production of FLP-1 polypeptides which can be isolated from the host cell itself or the medium in which the host cell is grown.

Also provided by the present invention are purified and isolated FLP-1 polypeptides, including fragments and variants thereof. Novel FLP-1 polypeptides of the invention may be isolated from natural sources, but along with FLP-1 variant polypeptides, are preferably produced by recombinant procedures involving host cells of the invention. Variant FLP-1 polypeptides, including fully glycosylated, partially glycosylated, and wholly de-glycosylated forms of the FLP-1 polypeptide may be generated, depending on the host cell selected for recombinant production and/or post-isolation processing. Additional variant FLP-1 polypeptides include water soluble and insoluble FLP-1 polypeptides and fragments thereof, analogs wherein one or more amino acids are deleted from, replaced in, or added to the preferred FLP-1 polypeptide, polypeptide analogs with equal or enhanced biological activities and/or immunological characteristics specific for FLP-1, and analogs with modified ligand binding and/or signal transducing capabilities. Fusion polypeptides are also provided wherein FLP-1 amino acid sequences are expressed contiguously with amino acid sequences derived from other polypeptides. Fusion polypeptides of the invention include those with modified biological, biochemical, and/or immunological properties in comparison to the preferred FLP-1 polypeptide.

Also contemplated by the present invention are antibodies and other peptide and non-peptide molecules which specifically bind to FLP-1. Binding molecules of this type are particularly useful for purifying FLP-1 polypeptides, identifying cell types which express FLP-1 polypeptides, and assaying for presence or absence of FLP-1 polypeptides in a fluid. Binding molecules are also useful for modulating (*i.e.*, blocking, inhibiting, or stimulating) *in vivo* binding and/or signal transduction activities of FLP-1.

Antibodies of the invention include monoclonal, polyclonal, and recombinant (*i.e.*, humanized, chimeric, *etc.*) forms and fragments thereof.

Also contemplated by the invention are hybridomas which secrete monoclonal antibodies specifically immunoreactive with FLP-1. Likewise, cell types modified by recombinant means so as to express and/or secrete genetically engineered FLP-1 binding molecules are also comprehended.

Assays to identify FLP-1 binding molecules are also provided, including immobilized ligand binding assays, solution binding assays, scintillation proximity assays, two hybrid screening assays, immunological methodologies and the like. In addition to identifying FLP-1 binding molecules, the same or similar assays are useful for identification of molecules which modulate FLP-1 specific binding. For example, assays to identify modulators (*i.e.*, activators or inhibitors) of FLP-1 specific binding can involve a) contacting FLP-1 or a fragment thereof, with β_7 integrin or a fragment thereof; b) measuring binding between FLP-1 or a fragment thereof, and β_7 integrin or a fragment thereof; c) measuring binding between FLP-1 or a fragment thereof, and β_7 integrin or a fragment thereof in the presence of a test compound, and d) comparing the measurement in step (b) and the measurement in step (c) wherein a decrease in binding in step (c) indicates the test compound in an inhibitor of binding, and an increase in binding in step (c) indicates the test compound is an activator of binding.

Variations on the method to identify modulators of FLP-1 binding can include scintillation proximity assays comprising the steps of immobilizing either FLP-1 or its binding partner on a solid support, wherein the solid support contains a fluorescent agent; modifying the non-immobilized binding partner to include a compound that can excite the immobilized fluorescent agent; contacting the non-immobilized binding partner with the immobilized binding partner; determining the level of light emission for the fluorescent agent; and repeating the procedure in the presence of a putative modulator of FLP-1 binding.

As still another variation of the method, a two hybrid system may be utilized to identify genes encoding potential modulators. In this system, an integrin sequence is expressed in a host cell as a fusion protein with either a DNA binding domain or transactivation domain of a modular transcription factor. A binding partner protein is also expressed as a fusion protein with the transcription factor domain not utilized in expressing the integrin fusion protein. Interaction of the two fusion proteins results in reconstitution of the holo-transcription factor and permits expression of a reporter gene with a promoter specific for the transcription factor. Use of this system in the presence or absence of library cDNA can permit identification of genes that encode proteins which modulate the degree of reporter gene expression.

Additional methods comprehended by the invention include immunological assays including radio-immuno assays, enzyme linked immunosorbent assays, sandwich assays and the like. Co-precipitation methods are also comprehended wherein an antibody immunospecific for one binding partner is utilized in a method in which the other binding partner is detectably labeled. Immunological assays may also include use of labeled antibodies specifically immunoreactive with a complex between the desired binding partners.

Numerous compounds are contemplated as being candidates for testing in methods of the invention. For example, antibody products which are immunoreactive with one binding partner and which modulate binding between the two molecules can be identified by the claimed method. Antibody products contemplated are monoclonal antibodies, and fragments thereof, humanized antibodies, and/or single chain antibodies. Other molecules which can be screened in the claimed method include peptides, small molecules and libraries composed of either of the same.

Modulators of β_7/FLP-1 and β_7/filamin interaction identified by the methods of the invention are utilized *in vitro* or *in vivo* to affect inflammatory processes involving leukocytes. In addition, modulating

compounds which bind to either the β_7 integrin, filamin or FLP-1 are useful to monitor the level of its binding partner, either in a body fluid or biopsied tissue.

Those of ordinary skill in the art will readily appreciate that numerous variations of the claimed method are encompassed by the invention.

Detailed Description of the Invention

The present invention is illustrated by the following examples relating to the isolation of a cDNA clone encoding FLP-1. Example 1 relates to identification of genes in a human B cell cDNA library that encode proteins which interact with β_7 integrin. Example 2 describes identification of genes in a human spleen cDNA library which encode proteins that interact with β_7 integrin. Example 3 addresses tissue specific expression of FLP-1. Example 4 describes specificity of interaction between filamin and β_7 and FLP-1 and β_7 integrin. Example 5 describes localization of β_7 sequences required for filamin or FLP-1 binding. Example 6 relates to applications for modulators of β_7/filamin or β_7/FLP-1 interactions.

Example 1

Identification of Genes in a B Cell Library Encoding β_7 Interacting Proteins

The two-hybrid system developed in yeast [Durfee, *et al.*, *Genes and Development* 7:555-567 (1993)] was used to screen for proteins expressed in a human B cell cDNA library which interact with the carboxy-terminal cytoplasmic tail of the β_7 integrin. The yeast two-hybrid screen is based on *in vivo* reconstitution of the GAL4 transcription factor and subsequent expression of a reporter gene driven by a GAL4 promoter. Briefly, GAL4 DNA-binding and transcription-activating domains are encoded on separate plasmids as portions of fusion proteins. Expression of the fusion proteins and interaction of the expression products results in association of the two GAL4 domains and ultimate expression the β-galactosidase reporter gene

under transcriptional control of the GAL4 promoter.

In the present investigation, a "bait" plasmid (pAS1) was constructed that contained sequences encoding the GAL4-binding domain, a trp$^-$ selection requirement, a hemagglutinin (HA) epitope tag and cytoplasmic amino acid sequences of β_7 integrin. The β_7 integrin cytoplasmic domain was amplified by PCR using β_7 primers set out in SEQ ID NO:3 and 4.

NHβ_7,5	CGGATCCTCGGATACCGGCTCTCGGTGAAG	(SEQ ID NO: 3)
NHβ_7,3	CGGCTCCTCAGAGAGTGGGACTGTCTGCCT	(SEQ ID NO: 4)

Reaction conditions included an initial incubation at 94°C for four minutes, followed by thirty cycles of: 94°C for one minute, 50°C for two minutes, and 72°C for four minutes. The resulting product was sequenced to rule out PCR-derived errors and subcloned into vector pAS1. A yeast strain, Y190, was transformed with β_7/pAS1 by standard methods and grown in selective media (trp$^-$) to mid-log phase. Cells were lysed in lysis buffer (containing 100 mM Tris, pH 6.8, 2% SDS, 10% glycerol, 5% BME and 0.1% bromo phenol blue) and the equivalent of 5-6 x 10^6 cells of protein was separated on a 12% polyacrylamide gel. Proteins in the gel were transferred to a PVDF (Millipore, Bedford, MA) membrane by standard methods. Control lanes on the gel contained lysate from Y190 cells transformed with pAS1 vector alone (containing no β_7 integrin-encoding sequences). Western blotting was performed using antibody 12CA5, immunospecific for the HA epitope tag, (Boehringer Mannheim, Indianapolis, IN) and a goat anti-mouse IgG horse radish peroxidase (HRP) secondary antibody. Results, in combination with size determination using SDS-PAGE, confirmed that the fusion protein β_7 integrin cytoplasmic tail/HA/GAL4 DNA-binding domain was expressed at readily detectable levels.

A "target" vector was constructed with vector pACT modified to contain sequences encoding the GAL4 activation domain II fused to a B cell cDNA library and a leu$^-$ selection requirement. Lymphocyte cDNA library

sequences were inserted at an *Xho*I site of the vector. β_7/pAS1-transformed Y190 cells were transformed by standard methods with the pACT-lymphocyte library DNA and cells grown under selective conditions (leu$^-$/trp$^-$/his$^-$/3-aminotriazole). Resulting colonies were tested for β-galactosidase (β-gal) activity by the blue/white selection method well known in the art and forty-four β-gal positive clones were obtained. Sequence analysis of the B cell cDNA-derived pACT inserts in each of the clones revealed twenty novel sequences and twenty four sequences encoding known proteins or portions of known proteins.

Five clones were of particular interest, all of which contained sequences encoding a portion of the non-muscle protein filamin, or actin-binding protein ABP280(emb/X53416), [Gorlin, *et al.*, *J. Cell Biol.* **111**:1089-1105 (1990)]. All five clones were shown to encode the carboxy-terminal portions of filamin (SEQ ID NO: 7) and each clone extended into 3´ untranslated portions of the filamin gene. Clone 411 corresponded to sequences in repeat 20 (beginning at nucleotide 6763 in SEQ ID NO: 7) and clones 514, 1521, 1271 and 722 beginning in repeat 23 (each beginning at nucleotide 7513, 7552, 7579, and 7579 in SEQ ID NO: 7, respectively). There was one discrepancy between the published sequence of filamin and the sequences determined in each of the positive clones: all positive clones had an aspartate residue at position 2634, while the published sequence of filamin had a histidine at that position. Of these clones, 1271, 514 and 411 were selected for subsequent analysis, and the nucleotide and amino acids sequences of 1271 are set out in SEQ ID NOs: 5 and 6, respectively.

Example 2

Identification of Genes in a Human Spleen Library Encoding β_7 Interacting Proteins

The two-hybrid system described in Example 1 was repeated using human spleen cDNA library sequences (Clontech, Palo Alto, CA) cloned into an *Eco*RI site of the target vector pGAD10 (Clontech).

After transformation of the β_7/pAS1 Y190 strain with the spleen/pGAD10 plasmid and selection as previously described, the resulting colonies were tested for β-gal activity and six positive clones were identified. Sequence analysis of the six β-gal positive clones that revealed five identical clones (from which clone S5 was selected for further analysis) along with clone S3, (the sixth positive clone and distinct from the other five) were identified.

DNA and protein alignments revealed that clones S3 and S5 encode different, but overlapping regions of the same protein, with the S3 insert beginning 5′ of the S5 insert, and terminating before the 3′ end of clone S5. The DNA sequences of clones S3 and S5 were compared to DNA databases using NCBI Blastn with default parameters on October 16, 1995, and both clones were found to exhibit approximately 70% identity to filamin. The nucleotide and amino acid sequences of clone S3 are set out in SEQ ID NOs: 9 and 10, respectively. Sequences for clone S5 are set out in SEQ ID NOs: 11 and 12, respectively. The composite protein encoded by the overlapping clones S3 and S5 was designated FLP-1 (filamin like protein). Blastp search of protein database (NCBI Blastp) revealed that the composite protein FLP-1 has a 73% identity to filamin. Alignment of FLP-1 to filamin shows that clones S3 and S5 represent carboxy terminal regions of FLP-1. When FLP-1 is aligned with filamin in the second hinge region between repeats 23 and 24, the putative glycoprotein binding region, the degree of identity drops to 38%, suggesting a difference in binding affinity between filamin and FLP-1 for membrane glycoproteins.

In addition, a region of clone S5 was further found to exhibit 100% identity to truncated actin-binding protein TABP (GP or GB/M62994), a protein previously shown to be a truncated, non-actin-binding filamin-like protein [Leedman, *et al.*, *Proc.Natl.Acad.Sci.(USA)* **90**:5994-5998 (1993)] having 195 amino acids and a molecular weight of approximately 21 kDa. Identity was particularly high between nucleotides 950-1515 of clone 5 which were 95-99% identical to regions of TABP. TABP lacks an actin binding

domain and 22 of 24 tandem repeats found in filamin, but contains sequences homologous to the carboxy terminal repeats numbered 23 and 24 found in filamin. The TABP hinge region, between repeats 23 and 24, contains a putative glycoprotein binding site and a Ca^{2+}/calmodulin kinase II phosphorylation site [Leedman, *supra*]. TABP is encoded by a 2.3 kb mRNA and a cDNA encoding TABP was cloned from a thyroid expression library from a Graves disease patient [Leedmen, *supra*].

In order to obtain a more complete FLP-1 sequence, the human spleen cDNA library was screened using S3 as a probe. The S3 clone was digested with *EcoR*I and a 1.2 kb fragment was isolated and labeled using the Random Primed Labeling Kit (Boehringer Mannheim, Indianapolis, IN) according to the manufacturer's suggested protocol. Unincorporated nucleotides were removed using a Centrisep column (Princeton Separations, Adelphia, NJ). The probe was added to filters in hybridization solution (5X SSPE, 45% formamide, 5X Denhardts, 1% SDS) and hybridized overnight at 42°C. The filters were washed at a final stringency of 0.2X SSC/0.1% SDS at 65°C.

Primary positive clones were picked, diluted and replated on Hybond N^+ filters on LBM plates. Two duplicate filters were rehybridized with hybridization solution saved from the original hybridization described *supra*. Clones which were positive on both filters were picked, grown and their plasmids isolated and sequenced by standard methods.

Ten FLP-1 positive clones were detected and partial sequence data from these clones was compared to filamin and FLP-1 sequences derived from clones S3 and S5. Overlap of sequences from clones S3 and S5 with sequences from clones F3, F5 and F7 permitted determination of a more complete sequence for FLP-1, the more complete nucleotide and amino acid sequences set out in SEQ ID NOs: 1 and 2, respectively. In SEQ ID NO: 1, nucleotides 1-315 were derived from clone F5 (clone F5 was significantly longer than 315 nucleotides); nucleotides 316-738 from clone F3; nucleotides 739-816 from clone F7; nucleotides 817-1122 from clone S3 and nucleotides

1123-2574 from clone S5.

The longest clone, F5, was later sequenced in its entirety. There are five differences at the nucleotide level between SEQ ID NO: 1 and the F5 sequence. In the F5 sequence, nucleotide 437 is C rather than T changing amino acid residue 146 from leucine to proline. Nucleotide 1324 is C rather than G changing amino acid residue 442 from alanine to proline. Nucleotide position 1642 is changed G rather than A thus changing residue 548 from methionine to valine. In addition, nucleotide 2124 is C rather than T and nucleotide 2181 is A rather than T. The nucleotide differences at positions 2124 and 2181 do not alter the encoded amino residue. The sequence differences between the composite sequence of SEQ ID NO: 1 and the corresponding F5 FLP-1 sequence may arise from genetic polymorphism or the like.

Example 3

Tissue Specific Expression of FLP-1

In order to determine size of a mRNA encoding FLP-1 in various tissues, a human immune system multiple tissue northern (Clontech) was probed with a random-primed portion of clone S3 (corresponding to nucleotides 255-777 in SEQ ID NO: 9) according to manufacturer's suggested protocol. The RNA utilized in the Northern blots included RNA from appendix, thymus, lymph node, spleen, bone marrow, fetal liver and peripheral blood leukocytes, and cell lines G361, SW480, K562, HeLa, HL60, MOLP-4, Raji and A549.

In spleen, lymph node, thymus, bone marrow, and fetal liver, mRNA of two distinct sizes hybridized to the FLP-1 probe: one just above and one just below the 9.5Kb size marker. In appendix and peripheral blood leukocytes, only one band, just below the 9.5Kb size marker, hybridized with the FLP-1 probe. These results suggest that the FLP-1 mRNA encodes a protein similar in size to filamin as reported in Gorlin, *supra*.

To determine whether filamin and FLP-1 are expressed in the same or in different cell types, Northern blots of mRNA isolated from various

tissues and cell types were probed as described above. An antisense oligonucleotide filamin probe, GGTGGCCTTGGTCAGAGAGTCTACAAACAC (SEQ ID NO: 37), and an antisense oligonucleotide FLP-1 probe, GGCGCTATAGCAGGTCTCTGTAGACGACCT (SEQ ID NO: 38) were derived from hinge sequences between repeats 23 and 24 that differ in 23 out of a total of 30 nucleotides. These oligonucleotides possess approximately equivalent Tms, 81 and 82°C, respectively. The oligonucleotides were 5' labelled with ^{32}P and unincorporated nucleotides were removed using a G-25 Sephadex Quickspin column (BMB).

The FLP-1 probe was added to the hybridization solution (5X SSPE, 2X Denhardt's, 0.5% SDS, 100 μg/ml sheared salmon sperm DNA) and multitissue northerns (Clontech) were hybridized overnight at 42°C. Filters were washed according to the manufacturer's suggested protocol at a final stringency of 2X SSC/0.1% SDS at 42°C.

After exposure to film, the filters were stripped according to the manufacturer's suggested protocol and exposed to film again to ensure that the signal due to the FLP-1 probe had been completely removed. The filters were then hybridized with the filamin probe.

The FLP-1 probe detected two mRNAs, of approximately 9.5 and 8.5 kb, in several lymphoid and non-lymphoid tissues and cell lines. The filamin probe hybridized to a mRNA of approximately 8.5 kb. The levels of filamin mRNA detected in appendix, as well as epithelial (G361) and myelomonocytic (HL60) cell lines, appear to be markedly greater than that of FLP-1 and can be visualized in a 16 hour exposure. In contrast, FLP-1 mRNA expression is lower and can be detected only by exposing the film for at least seven days. Thus, FLP-1 and filamin mRNA are similar in size but appear to be differentially expressed in some tissues or cell types.

Example 4

Specificity of Filamin/β_7 and FLP-1/β_7 Interaction

The specificity of the interactions of filamin (clones 1271 and 514) and FLP-1 with the β_7 integrin cytoplasmic tail was verified by transforming filamin clone 1271 and FLP-1 clone S5 into Y190 strains containing any one of a variety of "baits" vectors (encoding β_2, β_7 or α_L integrin cytoplasmic tails) using standard methods described *supra*. Results from this assay, shown in Table 1, indicated that filamin clone 1271 specifically binds to β_7 integrins but not to other integrins and FLP-1 clone S5 interacts with β_7 integrins.

Table 1 - Binding Specificity of Filamin and FLP-1

	SPECIFICITY OF INTERACTION	
INTEGRIN "BAIT"	**FILAMIN**	**FLP-1**
β_2	-	-
β_7	+	+
α_L	-	-

In vivo interaction between endogenous filamin and β_7 integrin was also investigated by co-precipitation of a filamin/$\alpha_4\beta_7$ complex from JY cells, which express endogenous $\alpha_4\beta_7$. Cells were initially permeabilized with 10 μg/ml lysolecithin (Sigma, St. Louis, MO) in PBS, pH 8.0, with 1 mM Ca^{++} and 1 mM Mg^{++}, for five minutes. Cellular proteins were crosslinked using DTSSP (921 μM) and labeled with biotin as described in Altin, *et al.*, *Anal. Biochem.* **224**:382-389 (1995). Crosslinked proteins were solubilized using 1% Triton-X100 and integrins were immunoprecipitated using monoclonal antibodies immunospecific for α_4 (antibody HP2/1, Immunotech, Westbrook, ME, or antibody B5G10, Upstate Biotechnology, Inc., Lake Placid, NY), or β_2 (antibody 23 IIIb). A control antibody, PC21 (Sigma, St. Louis, MO) was also employed. Precipitated proteins were separated on a 6% SDS-PAGE gel, transferred

to an Immobilon P membrane and probed with filamin antisera (Chemicon International, Inc. Temecula, CA).

These results demonstrate co-precipitation of naturally occurring filamin with an α_4 integrin. Also in this assay, filamin co-precipitated with the β_2 subunit, but was not precipitated with control antibody PC21. This implies that a portion of the filamin molecule not encoded by clone 1271 interacts with a β_2 integrin.

Example 5

Localization of FLP-1 or Filamin Binding on β_7

In order to more fully characterize the binding between FLP-1 or filamin and the cytoplasmic tail of β_7 integrin, the two-hybrid assay was employed using various deletion derivatives of either of the individual binding partners.

Several cytoplasmic domain mutants of the β_7 integrin were created using site directed mutagenesis in order to map the site(s) of interaction observed as described above. Filamin truncates (ABPD1, ABPD2 and ABPD5) and clones 1271, 514 and 411 and FLP-1 clones S5 and S3 were employed to evaluate the degree to which mutations in the β_7 cytoplasmic domain affected binding. Following standard co-transformations of Y190 as described above, binding interactions were determined by β-gal assay, as described above. The β_7 deletions utilized in these assays are set out in SEQ ID NOS: 14 to 18 and 39-41 below, and compared to the native β_7 sequence set out in SEQ ID NO: 13. In each expression construct, only the cytoplasmic portion of β_7, or a truncation thereof, was subcloned.

β_7 YRLSVEIYDRREYSRFEKEQQQLNWKQDSNPLYKSAITTTINPRFQEADSPTL
(SEQ ID NO: 13)

β_7D1 YRLSVEIYDRREYSRFEKEQQQLNWKQDSNP
(SEQ ID NO: 14)

β_7D2 YRLSVEIYDRREYSRFEKEQQQLNWKQDSNPLYKSA
(SEQ ID NO: 15)

β_7D3 YRLSVEIYDRREYSRFEKEQQQLNWKQDSNPLYKSAITTTINP
(SEQ ID NO: 16)

β_7D4 YRLSVEIYDRREYSRFEKE
(SEQ ID NO: 17)

β_7D5 YRLSVEIYDRREYSR
(SEQ ID NO: 18)

β_7D6 YRLSVEIYDRR
(SEQ ID NO: 39)

β_7D8 YRLSVEIYDRREYSRFEKEQQQLNWKQDSNPLYKSAITTTINPRFQEAD
(SEQ ID NO: 40)

β_7D9 YRLSVEIYDRREYSRFEKEQQQLNWKQDSNPLYKSAITTTINPRF
(SEQ ID NO: 41)

Primers used to generate the various deletion mutants are set out in SEQ ID NOs: 19 to 23 and 42-46, below, and were individually utilized in an amplification reaction pairs with the primer set out in SEQ ID NO: 3. Reaction conditions were as described in Example 1. Deletions β_7D8 and β_7D9 were prepared using Quickchange site directed mutagenesis (Stratagene, La Jolla, CA) and all other deletions were prepared by standard single stranded site directed mutagenesis.

NHβ_7D1 GATGGCACTTTTGTACTAAGGATTACTGTCCTG (SEQ ID NO: 19)
NHβ_7D2 ATTGATGGTGGTCGTCTAGGCACTTTTGTAGAG (SEQ ID NO: 20)
NHβ_7D3 GTCTGCCTCTTGAAACTAAGGATTGATGGTGGT (SEQ ID NO: 21)
NHβ_7D4 CCAGTTGAGTTGTTGCTACTCCTTCTCAAAGCG (SEQ ID NO: 22)
NHβ_7D5 GTTGCTGCTCCTTCTCCTAGCGACTGTATTCCCG (SEQ ID NO: 23)
β_7D6: CTCAAAGCGACTGTACTACCGGCGGTCATAGATTTC (SEQ ID NO: 42)
β_7D8: CTTTCAAGAGGCAGACTGACCCACTCTCTGAGGA (sense oligo)
(SEQ ID NO: 43)
β_7D8: TCCTCAGAGAGTGGGTCAGTCTGCCTCTTGAAAG (antisense oligo)
(SEQ ID NO: 44)
β_7D9: CATCAATCCTCGCTTTTGAGAGGCAGACAGTCCC (sense oligo)
(SEQ ID NO: 45)

β_7D9: GGGACTGTCTGCCTCTCAAAAGCGAGGATTGATC (antisense oligo)
(SEQ ID NO: 46)

In addition, a series of β_7 substitution mutants were also constructed wherein the sequence changes are set out in SEQ ID NOs: 24 to 27 and 47-51, with the substituted amino acid residue underlined.

β_7S3A
YRLAVEIYDRREYSRFEKEQQQLNWKQDSNPLYKSAITTTINPRFQEADSPTL
(SEQ ID NO: 24)

β_7E5Q
YRLSVQIYDRREYSRFEKEQQQLNWKQDSNPLYKSAITTTINPRFQEADSPTL
(SEQ ID NO: 25)

β_7R9A
YRLSVEIYDAREYSRFEKEQQQLNWKQDSNPLYKSAITTTINPRFQEADSPTL
(SEQ ID NO: 26)

β_7S13A
YRLSVEIYDRREYARFEKEQQQLNWKQDSNPLYKSAITTTINPRFQEADSPTL
(SEQ ID NO: 27)

β_7V4F
YRLSFEIYDRREYSRFEKEQQQLNWKQDSNPLYKSAITTTINPRFQEADSPTL
(SEQ ID NO: 47)

β_7I6F
YRLSVEFYDRREYSRFEKEQQQLNWKQDSNPLYKSAITTTINPRFQEADSPTL
(SEQ ID NO: 48)

β_7Y7F
YRLSVEIFDRREYSRFEKEQQQLNWKQDSNPLYKSAITTTINPRFQEADSPTL
(SEQ ID NO: 49)

β_7D8A
YRLSVEIYARREYSRFEKEQQQLNWKQDSNPLYKSAITTTINPRFQEADSPTL
(SEQ ID NO: 50)

β_7R10A
YRLSVEIYDRAEYSRFEKEQQQLNWKQDSNPLYKSAITTTINPRFQEADSPTL
(SEQ ID NO: 51)

Oligonucleotides used to generate the various substitution variants are set out in SEQ ID NOs: 28 to 31 and 52 to 56, infra.

B7S3A GTCATAGATTTCCACCGCGAGCCGGTATCCGAG (SEQ ID NO: 28)
B7E5Q CCGGCCGTCATAGATTTGCACCGAGAGCCGGTATC (SEQ ID NO: 29)
B7R9A GCGACTGTATTCCCGCGCGTCATAGATTTCCAC (SEQ ID NO: 30)
B7S13A CTCCTTCTCAAAGCGCGCGTATTCCCGGCGGTC (SEQ ID NO: 31)
β_7V4F GCGGTCATAGATTTCAAACGAGAGCCGGTATCC (SEQ ID NO: 52)
β_7I6F TTCCCGGCGGTCATAGAATTCCACCGAGAGCCG (SEQ ID NO: 53)
β_7Y7F GTATTCCCGGCGGTCAAAGATTTCCACCGAGAG (SEQ ID NO: 54)
β_7D8A ACTGTATTCCCGGCGCGCATAGATTTCCACCGA (SEQ ID NO: 55)
β_7R10A AAAGCGACTGTATTCCGCGCGGTCATAGATTTC (SEQ ID NO: 56)

Specific truncation mutants of filamin were generated by PCR amplification of existing clones under conditions described in Example 1. Mutant ABPD1 encoded a region including a portion of repeat 23, the second hinge region and repeat 24 of filamin (amino acid 2487-2647 in SEQ ID NO: 7). Mutant ABPD2 (amino acids 2487-2577 in SEQ ID NO: 7) encoded a truncated form of ABPD1 which lacked the filamin dimerization domain. Mutant ABPD4 (amino acids 2517-2647 in SEQ ID NO: 7) encoded a truncated form of ABPD1 which lacked the twenty-third repeat. Mutant ABPD5 (amino acid 2198-2435 in SEQ ID NO: 7) encoded a truncated form of clone 411 which lacked most of repeat 23, the second hinge region and repeat 24. Mutant ABPD9 (amino acid 2350-2435 in SEQ ID NO:7) encoded a truncated form of ABPD5. Mutant ABPD10 (amino acid 2256-2363 in SEQ ID NO: 7) encoded another truncated form of ABPD5.

Mutant ABPD1 was generated by PCR using primers set out in SEQ ID NO: 32 and 33, and mutant ABPD2 was generated by PCR using primers set out in SEQ ID NO: 32 and 34.

ABP.5x ATATCTCGAGAGTATACCCCCATGGCACCT (SEQ ID NO: 32)
ABP.Xho1 ATATCTCGAGTCAGGGCACCACAACGCG (SEQ ID NO: 33)
ABP.Xho2 ATATCTCGAGTCAGCTGCTCTTCTGGCCCTAC (SEQ ID NO: 34)

Primers 32-34 were used in a reaction with filamin clone 1271 under the following amplification conditions: an initial incubation at 94°C for five minutes, followed by thirty cycles of 94°C for 30 seconds, 50°C for 30 seconds, and 72°C for one minute. The resulting PCR product was cut with *Xho*1 and ligated into vector pACT (described in Example 1) previously digested with *Xho*1.

Mutants ABPD4, ABPD5, ABPD9 and ABPD10 were generated by PCR. ABPD4 was generated using primers 1271/151 and 1271/3XR and used clone 1271 as the DNA template. ABPD5 was generated using primers B7411/1X and B7411/700X and used clone 411 as the DNA template. ABPD9 was generated using primers B7411/457X and B7411/700X and used clone 411 as the DNA template. ABPD10 was generated using primers B7411/175X and B7411/498X and used clone 411 as the DNA template.

1271/151 CCCGAATTCACAGGCCCCCGTCTCGTC (SEQ ID NO: 57)

1271/3XR CCCGAATTCCTCGAGTCAGGGCACCACAACGCGGTAG (SEQ ID NO: 58)

B7411/1X CCCCCTCGAGGCTACTGCATCCGCTTTGTTC (SEQ ID NO: 59)

B7411/700X CCCCTCGAGTCAGTAAGCAGACACCAAGCC (SEQ ID NO: 60)

B7411/457X CCCCTCGAGCCAGCCTCTTTTGCAGTC (SEQ ID NO: 61)

B7411/175X CCCCTCGAGCCAGCCGAATTCAGTATC (SEQ ID NO: 62)

B7411/498X CCCCTCGAGTCACGCCCCCTTGGCCCCCTTC (SEQ ID NO: 63)

Primers as described were used in PCR reactions with the appropriate templates under amplification conditions outlined in Example 1. The resulting PCR products were cut with *XhoI* (ABPD5, ABPD9 and ABPD10) or *EcoRI* (ABPD4) and ligated into vector pACT (ABPD5) or vector pACT2 (ABPD9 and ABPD10) previously digested with *XhoI* or ligated into vector pGAD10 (ABPD4) previously digested with *EcoRI*. The resulting subclones were sequenced to rule out PCR derived errors.

An FLP-1 mutant comprised of amino acid sequences 696 to 857 in SEQ ID NO: 1 and showing identity to TABP (the TABP-like analog) was also generated by PCR amplification (under conditions described in Example 1) from a human spleen cDNA library. The FLP-1 mutant was generated by PCR using the primer pair set out in SEQ ID NO: 35 and 36.

TABP.Nde ATATCATATGTACACCCCCATGGCTCCT (SEQ ID NO: 35)
TABP.Bam ATAGGATCCTCAGCCCCACAAACAGGC (SEQ ID NO: 36)

Reactions were carried out using 2.5 μg spleen cDNA under the following amplification conditions: an initial incubation at 94°C for five minutes, followed by thirty cycles of 94°C for 30 seconds, 50°C for 30 seconds, and 72°C for one minute. The resulting PCR products were digested with *Nde*I and *BamH*I and cloned into vector pET previously digested with the same enzymes. The resulting TABP/pET vector was then utilized in a secondary PCR with the PCR primer pair set out in SEQ ID NO: 32 and 33, above, under the following conditions: an initial incubation at 94°C for five minutes, followed by thirty cycles at 94°for one minute, 50°C for one minute and 72°C for two minutes. The resulting PCR product was digested with *Xho*1 and cloned into pACT previously digested with *Xho*1. The FLP-1 TABP-like truncate represents the same size and region in filamin as represented by mutant ABPD1.

Another FLP-1 mutant, FLP1D3, was generated by PCR. FLP1D3 encoded a truncated form of clone S5 (amino acid 272-483 in SEQ ID NO:11). FLP1D3 represents the carboxy terminal region of S5, which is not encoded by S3. The primers used to generate this mutant were B7S5/814X and B7S5/1475X and clone S5 was used as the DNA template.

B7S5/814X CCCCCTCGAGGCGGCACGGGACTCGAAGGG (SEQ ID NO: 64)

B7S5/1475X CCCCTCGAGTTAAGGCACTGTGACATG (SEQ ID NO: 65)

These primers were utilized in PCR reactions under amplification conditions outlined in Example 1. The resulting PCR products were digested with *XhoI* and ligated into the vector pACT previously digested with *XhoI*. Sequencing of the resulting subclones ruled out PCR derived errors.

Results from the two hybrid assays as shown in Tables 2-4, discussed below, indicate that there are two distinct regions of filamin capable of interacting with the β_7 cytoplasmic tail. The first region is represented by clones 514 and 1271, the second region by deletion mutant ABPD5. In the first binding region of filamin (as represented by clones 514 and 1271) the dimerization domain (amino acids 2578-2647 of SEQ ID NO: 7) (not present in ABPD2) and the region at the 5' end of repeat 23 (not present in ABPD4) appear to be critical for interaction with the β_7 cytoplasmic tail. The results with TABP and FLP1D3 also show that despite a high degree of homology with filamin, there does not appear to be a corresponding region in FLP-1 similar to the "repeat 23-24" region found in filamin clones 514 and 1271 which is capable of interacting with the β_7 cytoplasmic tail. In addition, interaction with ABPD5 indicates a second region of filamin centered around repeat 21 which interacts with the β_7 cytoplasmic tail, corresponding to a region of FLP-1 (amino acid 1-273 of SEQ ID NO: 12), and is most likely to be responsible for the FLP-1 interaction with β_7 cytoplasmic tail.

TABLE 2 - INTERACTION OF FILAMIN (1271) AND FLP-1 (S5) WITH β_7 DELETION AND SUBSTITUTION ANALOGS

	FILAMIN	ABPD1	ABPD2	FLP-1	TABP
β_2	-	-	-	-	-
β_7	+	+/-	-	+	-
β_7D1	+	+	-	+/-	
β_7D2	+	+	-	+/-	
β_7D3	+	+	-	+	
β_7D4	+	+	-	+	
β_7D5	+	+		+	
β_7S3A	+	+		+	
β_7E5Q	+/-	+/-		+	
β_7R9A	+	+		+	
β_7S13A	+	+		+	
α_L	-			-	-

TABLE 3 - INTERACTION OF β_7 WITH FILAMIN AND FLP-1 AND DELETION MUTANTS	
	β_7
FILAMIN	
1271	+
514	+
411	+
ABPD1	+/-
ABPD2	-
ABPD4	-
ABPD5	+
ABPD9	-
ABPD10	-
FLP-1	
S3	+
S5	+
TABP	-
FLP1D3	-

Table 2 and Table 4 below summarize the effect of β_7 deletion mutants and substitution analogs on binding of β_7 to filamin (clone 514), ABPD1, ABPD2, ABPD5, TABP and FLP-1 clones S3 and S5. The binding properties of the first filamin binding site, represented by clones 514 and 1271, is affected by substitutions in the membrane proximal region of the β_7 cytoplasmic tail. Specifically, substitution mutant E5Q greatly weakens the interaction with clones 514 and 1271. Substitution mutant D8A completely disrupts the interaction of β_7 with clones 514 and 1271 (Table 4). The binding of ABPD5 to β_7 (the second region of filamin which interacts with the β_7 cytoplasmic tail) is not affected by substitutions in the membrane proximal region of the β_7 cytoplasmic tail, as shown by substitution mutants E5Q and D8A. However, the binding of ABPD5 to β_7 is decreased in deletion mutants at the carboxy terminus of the β_7 cytoplasmic tail, as shown by deletion mutants β_7D1 and β_7D2 (Table 4). FLP-1 clones S3 and S5 demonstrate a pattern of interaction with the β_7

deletion and substitution mutants that is remarkably similar to ABPD5. Because ABPD5, S3 and S5 were able to interact with deletion mutants smaller than β_7D1 and β_7D2, such as β_7D6, it is possible that this region of filamin or FLP-1 can interact with more than one region of the β_7 cytoplasmic tail.

TABLE 4 - INTERACTION OF FILAMIN (514) WITH β_7 DELETION AND SUBSTITUTION ANALOGS

	514	ABPD5	S3	S5
β_7	+	+	+	+
β_7D1	+	+/-	+/-	+/-
β_7D2	+	+/-	+/-	+/-
β_7D4	+	+		+
β_7D5	+	+		+
β_7D6	+	+	+	+/-
β_7D8	+/-	+	+	+
β_7D9	+	+	+	+
β_7S3A	+	+		+
β_7V4F	+			+
β_7E5Q	+/-	+	+	+
β_7I6F	+			+
β_7Y7F	+	+		+
β_7D8A	-	+	+	+
β_7R9A	+	+		+
β_7S13A	+			+

The data presented in this Example demonstrates that there are two distinct regions of filamin which interact with two distinct regions of the β_7 cytoplasmic tail. They also show that the region of FLP-1 which interacts with the β_7 cytoplasmic tail is similar to the ABPD5 region of filamin in its interaction characteristics with the β_7 cytoplasmic tail.

Example 6

Applications for Modulators of Filamin/β_7 and FLP-1/β_7 Binding

Two β_7 associated integrins have been identified: $\alpha_4\beta_7$ and $\alpha_E\beta_7$. Both are expressed on a subpopulation of peripheral blood lymphocytes and their expression is inducible. Both are expressed on macrophages but not monocytes and both appear to function in homing or localization of lymphocytes to mucosal tissue [see review in Jutila, *J. Leukocyte Biol.* 55:133-140 (1994)]. The homing properties of $\alpha_4\beta_7$ can be attributed to interaction with MadCAM-1 expressed in mucosal nodes, while the retention of $\alpha_E\beta_7^+$ cells in the gut is attributed to interactions with epithelial cells expressing E-cadherin. Thus, binding by one or both β_7 integrins to their respective counter-receptor may contribute to mucosal immune responses as well as inflammatory (*e.g.*, inflammatory bowel disease, IBD) and autoimmune responses at this site.

Further, it has been suggested that filamin is important in cell locomotion due to the fact that cells expressing low levels of the protein do not form leading lamella structures required for locomotion. The structural homology of FLP-1 to filamin suggests a similar role for this protein. In view of the observation that integrins can be observed clustered in point contacts, which are also important in cell locomotion, the invention contemplates that β_7 interaction with FLP-1 and/or filamin may be crucial to cell movement, and that disruption of the interactions will be useful, for example, in preventing the homing of β_7^+ cells which occurs in certain pathological inflammatory responses such as IBD.

In order to identify modulators of β_7/FLP-1 interaction, it is necessary to clearly define the portions of both proteins which are necessary for binding. Amino acid substitution, through standard mutagenesis techniques will permit identification of the binding regions of the proteins. Deletion analysis, wherein truncated forms of either protein are generated, for example by PCR, is also useful for identification of

binding regions if the deletion does not disrupt the tertiary or quaternary structure of the protein to the point that it is no longer recognized buy its counter-receptor.

Identification of the significant protein regions involved in binding permits more accurate and efficient screening of putative modulators of binding activity. The invention contemplates of a high throughput screening assay to analyze large libraries of small molecules or peptides, as well as antibodies immunospecific for either or both binding partners, for the ability to modulate binding of β_7 integrins to FLP-1 or filamin. While two hybrid screening, scintillation proximity assays (SPA) and immunological methodologies, for example, enzyme-linked immunosorbent assays (ELISA), disclosed herein are not HTS methods *per se*, they are amenable to test many of the compounds listed for an ability to modulate binding. SPA and ELISA are particularly useful in this identification process and can be modified to permit high throughput screening of the test compounds described.

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: ICOS CORPORATION

(ii) TITLE OF INVENTION: Cytoplasmic Modulators of Integrin Binding

(iii) NUMBER OF SEQUENCES: 65

(iv) CORRESPONDENCE ADDRESS:
(A) ADDRESSEE: Marshall, O'Toole, Gerstein, Murray & Borun
(B) STREET: 233 South Wacker Drive, 6300 Sears Tower
(C) CITY: Chicago
(D) STATE: Illinois
(E) COUNTRY: United States of America
(F) ZIP: 60606

(v) COMPUTER READABLE FORM:
(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: PatentIn Release #1.0, Version #1.25

(vi) CURRENT APPLICATION DATA:
(A) APPLICATION NUMBER:
(B) FILING DATE:
(C) CLASSIFICATION:

(viii) ATTORNEY/AGENT INFORMATION:
(A) NAME: Greta E. Noland
(B) REGISTRATION NUMBER: 35,302
(C) REFERENCE/DOCKET NUMBER: 27866/33773

(ix) TELECOMMUNICATION INFORMATION:
(A) TELEPHONE: 312-474-6300
(B) TELEFAX: 312-474-0448

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 2574 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION: 1..2574

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

```
CCT TTT GAC CTG GTC ATT CCG TTT GCT GTC AGG AAA GGA GAA ATC ACT        48
Pro Phe Asp Leu Val Ile Pro Phe Ala Val Arg Lys Gly Glu Ile Thr
  1               5                  10                  15

GGA GAG GTC CAC ATG CCT TCT GGG AAG ACA GCC ACA CCT GAG ATT GTG        96
Gly Glu Val His Met Pro Ser Gly Lys Thr Ala Thr Pro Glu Ile Val
            20                  25                  30
```

```
GAC AAC AAG GAC GGC ACG GTC ACT GTT AGA TAT GCC CCC ACT GAG GTC          144
Asp Asn Lys Asp Gly Thr Val Thr Val Arg Tyr Ala Pro Thr Glu Val
          35                  40                  45

GGG CTC CAT GAG ATG CAC ATC AAA TAC ATG GGC AGC CAC ATC CCT GAG          192
Gly Leu His Glu Met His Ile Lys Tyr Met Gly Ser His Ile Pro Glu
      50                  55                  60

AGC CCA CTC CAG TTC TAC GTG AAC TAC CCC AAC AGT GGA AGT GTT TCT          240
Ser Pro Leu Gln Phe Tyr Val Asn Tyr Pro Asn Ser Gly Ser Val Ser
  65                  70                  75                  80

GCA TAC GGT CCA GGC CTC GTG TAT GGA GTG GCC AAC AAA ACT GCC ACC          288
Ala Tyr Gly Pro Gly Leu Val Tyr Gly Val Ala Asn Lys Thr Ala Thr
                  85                  90                  95

TTC ACC ATC GTC ACA GAG GAT GCA GGA GAA GGT GGT CTG GAC TTG GCT          336
Phe Thr Ile Val Thr Glu Asp Ala Gly Glu Gly Gly Leu Asp Leu Ala
             100                 105                 110

ATT GAG GGC CCC TCA AAA GCA GAA ATC AGC TGC ATT GAC AAT AAA GAT          384
Ile Glu Gly Pro Ser Lys Ala Glu Ile Ser Cys Ile Asp Asn Lys Asp
         115                 120                 125

GGG ACA TGC ACA GTG ACC TAC CTG CCG ACT CTG CCA GGC GAC TAC AGC          432
Gly Thr Cys Thr Val Thr Tyr Leu Pro Thr Leu Pro Gly Asp Tyr Ser
     130                 135                 140

ATT CTG GTC AAG TAC AAT GAC AAG CAC ATC CCT GGC AGC CCC TTC ACA          480
Ile Leu Val Lys Tyr Asn Asp Lys His Ile Pro Gly Ser Pro Phe Thr
 145                 150                 155                 160

GCC AAG ATC ACA GAT GAC AGC AGG CGG TGC TCC CAG GTG AAG TTG GGC          528
Ala Lys Ile Thr Asp Asp Ser Arg Arg Cys Ser Gln Val Lys Leu Gly
                 165                 170                 175

TCA GCC GCT GAC TTC CTG CTC GAC ATC AGT GAG ACT GAC CTC AGC AGC          576
Ser Ala Ala Asp Phe Leu Leu Asp Ile Ser Glu Thr Asp Leu Ser Ser
             180                 185                 190

CTG ACG GCC AGC ATT AAG GCC CCA TCT GGC CGA GAC GAG CCC TGT CTC          624
Leu Thr Ala Ser Ile Lys Ala Pro Ser Gly Arg Asp Glu Pro Cys Leu
         195                 200                 205

CTG AAG AGG CTG CCC AAC AAC CAC ATT GGC ATC TCC TTC ATC CCC CGG          672
Leu Lys Arg Leu Pro Asn Asn His Ile Gly Ile Ser Phe Ile Pro Arg
     210                 215                 220

GAA GTG GGC GAA CAT CTG GTC AGC ATC AAG AAA AAT GGC AAC CAT GTG          720
Glu Val Gly Glu His Leu Val Ser Ile Lys Lys Asn Gly Asn His Val
 225                 230                 235                 240

GCC AAC AGC CCC GTG TCT ATC ATG GTG GTC CAG TCG GAG ATT GGT GAC          768
Ala Asn Ser Pro Val Ser Ile Met Val Val Gln Ser Glu Ile Gly Asp
                 245                 250                 255

GCC CGC CGA GCC AAA GTC TAT GGC CGC GGC CTG TCA GAA GGC CGG ACT          816
Ala Arg Arg Ala Lys Val Tyr Gly Arg Gly Leu Ser Glu Gly Arg Thr
             260                 265                 270

TTC GAG ATG TCT GAC TTC ATC GTG GAC ACA AGG GAT GCA GGT TAT GGT          864
Phe Glu Met Ser Asp Phe Ile Val Asp Thr Arg Asp Ala Gly Tyr Gly
         275                 280                 285

GGC ATA TCC TTG GCG GTG GAA GGC CCC AGC AAA GTG GAC ATC CAG ACG          912
Gly Ile Ser Leu Ala Val Glu Gly Pro Ser Lys Val Asp Ile Gln Thr
     290                 295                 300
```

```
GAG GAC CTG GAA GAT GGC ACC TGC AAA GTC TCC TAC TTC CCT ACC GTG        960
Glu Asp Leu Glu Asp Gly Thr Cys Lys Val Ser Tyr Phe Pro Thr Val
305                 310                 315                 320

CCT GGG GTT TAT ATC GTC TCC ACC AAA TTC GCT GAC GAG CAC GTG CCT      1008
Pro Gly Val Tyr Ile Val Ser Thr Lys Phe Ala Asp Glu His Val Pro
                325                 330                 335

GGG AGC CCA TTT ACC GTG AAG ATC AGT GGG GAG GGA AGA GTC AAA GAG      1056
Gly Ser Pro Phe Thr Val Lys Ile Ser Gly Glu Gly Arg Val Lys Glu
            340                 345                 350

AGC ATC ACC CGC ACC AGT CGG GCC CCG TCC GTG GCC ACT GTC GGG AGC      1104
Ser Ile Thr Arg Thr Ser Arg Ala Pro Ser Val Ala Thr Val Gly Ser
        355                 360                 365

ATT TGT GAC CTG AAC CTG AAA ATC CCA GAA ATC AAC AGC AGT GAT ATG      1152
Ile Cys Asp Leu Asn Leu Lys Ile Pro Glu Ile Asn Ser Ser Asp Met
    370                 375                 380

TCG GCC CAC GTC ACC AGC CCC TCT GGC CGT GTG ACT GAG GCA GAG ATT      1200
Ser Ala His Val Thr Ser Pro Ser Gly Arg Val Thr Glu Ala Glu Ile
385                 390                 395                 400

GTG CCC ATG GGG AAG AAC TCA CAC TGC GTC CGG TTT GTG CCC CAG GAG      1248
Val Pro Met Gly Lys Asn Ser His Cys Val Arg Phe Val Pro Gln Glu
                405                 410                 415

ATG GGC GTG CAC ACG GTC AGC GTC AAG TAC CGT GGG CAG CAC GTC ACC      1296
Met Gly Val His Thr Val Ser Val Lys Tyr Arg Gly Gln His Val Thr
            420                 425                 430

GGC AGC CCC TTC CAG TTC ACC GTG GGG GCA CTT GGT GAA GGA GGC GCC      1344
Gly Ser Pro Phe Gln Phe Thr Val Gly Ala Leu Gly Glu Gly Gly Ala
        435                 440                 445

CAC AAG GTG CGG GCA GGA GGC CCT GGC CTG GAG AGA GGA GAA GCG GGA      1392
His Lys Val Arg Ala Gly Gly Pro Gly Leu Glu Arg Gly Glu Ala Gly
    450                 455                 460

GTC CCA GCT GAG TTC AGC ATT TGG ACC CGG GAA GCA GGC GCT GGA GGC      1440
Val Pro Ala Glu Phe Ser Ile Trp Thr Arg Glu Ala Gly Ala Gly Gly
465                 470                 475                 480

CTC TCC ATC GCT GTT GAG GGC CCC AGT AAG GCC GAG ATT ACA TTC GAT      1488
Leu Ser Ile Ala Val Glu Gly Pro Ser Lys Ala Glu Ile Thr Phe Asp
                485                 490                 495

GAC CAT AAA AAT GGG TCG TGC GGT GTA TCT TAT ATT GCC CAA GAG CCT      1536
Asp His Lys Asn Gly Ser Cys Gly Val Ser Tyr Ile Ala Gln Glu Pro
            500                 505                 510

GGT AAC TAC GAG GTG TCC ATC AAG TTC AAT GAT GAG CAC ATC CCG GAA      1584
Gly Asn Tyr Glu Val Ser Ile Lys Phe Asn Asp Glu His Ile Pro Glu
        515                 520                 525

AGC CCC TAC CTG GTG CCG GTC ATC GCA CCC TCC GAC GAC GCC CGC CGC      1632
Ser Pro Tyr Leu Val Pro Val Ile Ala Pro Ser Asp Asp Ala Arg Arg
    530                 535                 540

CTC ACT GTT ATG AGC CTT CAG GAA TCG GGA TTA AAA GTT AAC CAG CCA      1680
Leu Thr Val Met Ser Leu Gln Glu Ser Gly Leu Lys Val Asn Gln Pro
545                 550                 555                 560

GCA TCC TTT GCT ATA AGG TTG AAT GGC GCA AAA GGC AAG ATT GAT GCA      1728
Ala Ser Phe Ala Ile Arg Leu Asn Gly Ala Lys Gly Lys Ile Asp Ala
                565                 570                 575
```

```
AAG GTG CAC AGC CCC TCT GGA GCC GTG GAG GAG TGC CAC GTG TCT GAG          1776
Lys Val His Ser Pro Ser Gly Ala Val Glu Glu Cys His Val Ser Glu
            580                 585                 590

CTG GAG CCA GAT AAG TAT GCT GTT CGC TTC ATC CCT CAT GAG AAT GGT          1824
Leu Glu Pro Asp Lys Tyr Ala Val Arg Phe Ile Pro His Glu Asn Gly
        595                 600                 605

GTC CAC ACC ATC GAT GTC AAG TTC AAT GGG AGC CAC GTG GTT GGA AGC          1872
Val His Thr Ile Asp Val Lys Phe Asn Gly Ser His Val Val Gly Ser
    610                 615                 620

CCC TTC AAA GTG CGC GTT GGG GAG CCT GGA CAA GCG GGG AAC CCT GCC          1920
Pro Phe Lys Val Arg Val Gly Glu Pro Gly Gln Ala Gly Asn Pro Ala
625                 630                 635                 640

CTG GTG TCC GCC TAT GGC ACG GGA CTC GAA GGG GGN ACC ACA GGT ATC          1968
Leu Val Ser Ala Tyr Gly Thr Gly Leu Glu Gly Xaa Thr Thr Gly Ile
                645                 650                 655

CAG TCG GAA TTC TTT ATT AAC ACC ACC CGA GCA GGT CCA GGG ACA TTA          2016
Gln Ser Glu Phe Phe Ile Asn Thr Thr Arg Ala Gly Pro Gly Thr Leu
            660                 665                 670

TCC GTC ACC ATC GAA GGC CCA TCC AAG GTT AAA ATG GAT TGC CAG GAA          2064
Ser Val Thr Ile Glu Gly Pro Ser Lys Val Lys Met Asp Cys Gln Glu
        675                 680                 685

ACA CCT GAA GGG TAC AAA GTC ATG TAC ACC CCC ATG GCT CCT GGT AAC          2112
Thr Pro Glu Gly Tyr Lys Val Met Tyr Thr Pro Met Ala Pro Gly Asn
    690                 695                 700

TAC CTG ATC AGT GTC AAA TAC GGT GGG CCC AAC CAC ATC GTG GGC AGT          2160
Tyr Leu Ile Ser Val Lys Tyr Gly Gly Pro Asn His Ile Val Gly Ser
705                 710                 715                 720

CCC TTC AAG GCC AAG GTG ACT GGC CAG CGT CTA GTT AGC CCT GGC TCA          2208
Pro Phe Lys Ala Lys Val Thr Gly Gln Arg Leu Val Ser Pro Gly Ser
                725                 730                 735

GCC AAC GAG ACC TCA TCC ATC CTG GTG GAG TCA GTG ACC AGG TCG TCT          2256
Ala Asn Glu Thr Ser Ser Ile Leu Val Glu Ser Val Thr Arg Ser Ser
            740                 745                 750

ACA GAG ACC TGC TAT AGC GCC ATT CCC AAG GCA TCC TCG GAC GCC AGC          2304
Thr Glu Thr Cys Tyr Ser Ala Ile Pro Lys Ala Ser Ser Asp Ala Ser
        755                 760                 765

AAG GTG ACC TCT AAG GGG GCA GGG CTC TCA AAG GCC TTT GTG GGC CAG          2352
Lys Val Thr Ser Lys Gly Ala Gly Leu Ser Lys Ala Phe Val Gly Gln
    770                 775                 780

AAG AGT TCC TTC CTG GTG GAC TGC AGC AAA GCT GGC TCC AAC ATG CTG          2400
Lys Ser Ser Phe Leu Val Asp Cys Ser Lys Ala Gly Ser Asn Met Leu
785                 790                 795                 800

CTG ATC GGG GTC CAT GGG CCC ACC ACC CCC TGC GAG GAG GTC TCC ATG          2448
Leu Ile Gly Val His Gly Pro Thr Thr Pro Cys Glu Glu Val Ser Met
                805                 810                 815

AAG CAT GTA GGC AAC CAG CAA TAC AAC GTC ACA TAC GTC GTC AAG GAG          2496
Lys His Val Gly Asn Gln Gln Tyr Asn Val Thr Tyr Val Val Lys Glu
            820                 825                 830

AGG GGC GAT TAT GTG CTG GCT GTG AAG TGG GGG GAG GAA CAC ATC CCT          2544
Arg Gly Asp Tyr Val Leu Ala Val Lys Trp Gly Glu Glu His Ile Pro
        835                 840                 845
```

```
GGC AGC CCT TTT CAT GTC ACA GTG CCT TAA                                  2574
Gly Ser Pro Phe His Val Thr Val Pro
    850                 855
```

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 857 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

```
Pro Phe Asp Leu Val Ile Pro Phe Ala Val Arg Lys Gly Glu Ile Thr
 1               5                  10                  15

Gly Glu Val His Met Pro Ser Gly Lys Thr Ala Thr Pro Glu Ile Val
            20                  25                  30

Asp Asn Lys Asp Gly Thr Val Thr Val Arg Tyr Ala Pro Thr Glu Val
        35                  40                  45

Gly Leu His Glu Met His Ile Lys Tyr Met Gly Ser His Ile Pro Glu
    50                  55                  60

Ser Pro Leu Gln Phe Tyr Val Asn Tyr Pro Asn Ser Gly Ser Val Ser
65                  70                  75                  80

Ala Tyr Gly Pro Gly Leu Val Tyr Gly Val Ala Asn Lys Thr Ala Thr
                85                  90                  95

Phe Thr Ile Val Thr Glu Asp Ala Gly Glu Gly Gly Leu Asp Leu Ala
            100                 105                 110

Ile Glu Gly Pro Ser Lys Ala Glu Ile Ser Cys Ile Asp Asn Lys Asp
        115                 120                 125

Gly Thr Cys Thr Val Thr Tyr Leu Pro Thr Leu Pro Gly Asp Tyr Ser
    130                 135                 140

Ile Leu Val Lys Tyr Asn Asp Lys His Ile Pro Gly Ser Pro Phe Thr
145                 150                 155                 160

Ala Lys Ile Thr Asp Asp Ser Arg Arg Cys Ser Gln Val Lys Leu Gly
                165                 170                 175

Ser Ala Ala Asp Phe Leu Leu Asp Ile Ser Glu Thr Asp Leu Ser Ser
            180                 185                 190

Leu Thr Ala Ser Ile Lys Ala Pro Ser Gly Arg Asp Glu Pro Cys Leu
        195                 200                 205

Leu Lys Arg Leu Pro Asn Asn His Ile Gly Ile Ser Phe Ile Pro Arg
    210                 215                 220

Glu Val Gly Glu His Leu Val Ser Ile Lys Lys Asn Gly Asn His Val
225                 230                 235                 240

Ala Asn Ser Pro Val Ser Ile Met Val Val Gln Ser Glu Ile Gly Asp
                245                 250                 255

Ala Arg Arg Ala Lys Val Tyr Gly Arg Gly Leu Ser Glu Gly Arg Thr
            260                 265                 270
```

Phe Glu Met Ser Asp Phe Ile Val Asp Thr Arg Asp Ala Gly Tyr Gly
275 280 285

Gly Ile Ser Leu Ala Val Glu Gly Pro Ser Lys Val Asp Ile Gln Thr
290 295 300

Glu Asp Leu Glu Asp Gly Thr Cys Lys Val Ser Tyr Phe Pro Thr Val
305 310 315 320

Pro Gly Val Tyr Ile Val Ser Thr Lys Phe Ala Asp Glu His Val Pro
325 330 335

Gly Ser Pro Phe Thr Val Lys Ile Ser Gly Glu Gly Arg Val Lys Glu
340 345 350

Ser Ile Thr Arg Thr Ser Arg Ala Pro Ser Val Ala Thr Val Gly Ser
355 360 365

Ile Cys Asp Leu Asn Leu Lys Ile Pro Glu Ile Asn Ser Ser Asp Met
370 375 380

Ser Ala His Val Thr Ser Pro Ser Gly Arg Val Thr Glu Ala Glu Ile
385 390 395 400

Val Pro Met Gly Lys Asn Ser His Cys Val Arg Phe Val Pro Gln Glu
405 410 415

Met Gly Val His Thr Val Ser Val Lys Tyr Arg Gly Gln His Val Thr
420 425 430

Gly Ser Pro Phe Gln Phe Thr Val Gly Ala Leu Gly Glu Gly Gly Ala
435 440 445

His Lys Val Arg Ala Gly Gly Pro Gly Leu Glu Arg Gly Glu Ala Gly
450 455 460

Val Pro Ala Glu Phe Ser Ile Trp Thr Arg Glu Ala Gly Ala Gly Gly
465 470 475 480

Leu Ser Ile Ala Val Glu Gly Pro Ser Lys Ala Glu Ile Thr Phe Asp
485 490 495

Asp His Lys Asn Gly Ser Cys Gly Val Ser Tyr Ile Ala Gln Glu Pro
500 505 510

Gly Asn Tyr Glu Val Ser Ile Lys Phe Asn Asp Glu His Ile Pro Glu
515 520 525

Ser Pro Tyr Leu Val Pro Val Ile Ala Pro Ser Asp Asp Ala Arg Arg
530 535 540

Leu Thr Val Met Ser Leu Gln Glu Ser Gly Leu Lys Val Asn Gln Pro
545 550 555 560

Ala Ser Phe Ala Ile Arg Leu Asn Gly Ala Lys Gly Lys Ile Asp Ala
565 570 575

Lys Val His Ser Pro Ser Gly Ala Val Glu Glu Cys His Val Ser Glu
580 585 590

Leu Glu Pro Asp Lys Tyr Ala Val Arg Phe Ile Pro His Glu Asn Gly
595 600 605

Val His Thr Ile Asp Val Lys Phe Asn Gly Ser His Val Val Gly Ser
610 615 620

```
Pro Phe Lys Val Arg Val Gly Glu Pro Gly Gln Ala Gly Asn Pro Ala
625                 630                 635                 640

Leu Val Ser Ala Tyr Gly Thr Gly Leu Glu Gly Xaa Thr Thr Gly Ile
                645                 650                 655

Gln Ser Glu Phe Phe Ile Asn Thr Thr Arg Ala Gly Pro Gly Thr Leu
            660                 665                 670

Ser Val Thr Ile Glu Gly Pro Ser Lys Val Lys Met Asp Cys Gln Glu
        675                 680                 685

Thr Pro Glu Gly Tyr Lys Val Met Tyr Thr Pro Met Ala Pro Gly Asn
    690                 695                 700

Tyr Leu Ile Ser Val Lys Tyr Gly Gly Pro Asn His Ile Val Gly Ser
705                 710                 715                 720

Pro Phe Lys Ala Lys Val Thr Gly Gln Arg Leu Val Ser Pro Gly Ser
                725                 730                 735

Ala Asn Glu Thr Ser Ser Ile Leu Val Glu Ser Val Thr Arg Ser Ser
            740                 745                 750

Thr Glu Thr Cys Tyr Ser Ala Ile Pro Lys Ala Ser Ser Asp Ala Ser
        755                 760                 765

Lys Val Thr Ser Lys Gly Ala Gly Leu Ser Lys Ala Phe Val Gly Gln
    770                 775                 780

Lys Ser Ser Phe Leu Val Asp Cys Ser Lys Ala Gly Ser Asn Met Leu
785                 790                 795                 800

Leu Ile Gly Val His Gly Pro Thr Thr Pro Cys Glu Glu Val Ser Met
                805                 810                 815

Lys His Val Gly Asn Gln Gln Tyr Asn Val Thr Tyr Val Val Lys Glu
            820                 825                 830

Arg Gly Asp Tyr Val Leu Ala Val Lys Trp Gly Glu Glu His Ile Pro
        835                 840                 845

Gly Ser Pro Phe His Val Thr Val Pro
    850                 855
```

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

CGGATCCTCG GATACCGGCT CTCGGTGAAG 30

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

CGGCTCCTCA GAGAGTGGGA CTGTCTGCCT 30

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 545 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION: 1..534

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

```
AAG GTG AAG ATG GAT TGC CAG GAG TGC CCT GAG GGC TAC CGC GTC ACC        48
Lys Val Lys Met Asp Cys Gln Glu Cys Pro Glu Gly Tyr Arg Val Thr
 1               5                  10                  15

TAT ACC CCC ATG GCA CCT GGC AGC TAC CTC ATC TCC ATC AAG TAC GGC        96
Tyr Thr Pro Met Ala Pro Gly Ser Tyr Leu Ile Ser Ile Lys Tyr Gly
            20                  25                  30

GGC CCC TAC CAC ATT GGG GGC AGC CCC TTC AAG GCC AAA GTC ACA GGC       144
Gly Pro Tyr His Ile Gly Gly Ser Pro Phe Lys Ala Lys Val Thr Gly
        35                  40                  45

CCC CGT CTC GTC AGC AAC CAC AGC CTC CAC GAG ACA TCA TCA GTG TTT       192
Pro Arg Leu Val Ser Asn His Ser Leu His Glu Thr Ser Ser Val Phe
    50                  55                  60

GTA GAC TCT CTG ACC AAG GCC ACC TGT GCC CCC CAG CAT GGG GCC CCG       240
Val Asp Ser Leu Thr Lys Ala Thr Cys Ala Pro Gln His Gly Ala Pro
65                  70                  75                  80

GGT CCT GGG CCT GCT GAC GCC AGC AAG GTG GTG GCC AAG GGC CTG GGG       288
Gly Pro Gly Pro Ala Asp Ala Ser Lys Val Val Ala Lys Gly Leu Gly
                85                  90                  95

CTG AGC AAG GCC TAC GTA GGC CAG AAG AGC AGC TTC ACA GTA GAC TGC       336
Leu Ser Lys Ala Tyr Val Gly Gln Lys Ser Ser Phe Thr Val Asp Cys
            100                 105                 110

AGC AAA GCA GGC AAC AAC ATG CTG CTG GTG GGG GTT CAT GGC CCA AGG       384
Ser Lys Ala Gly Asn Asn Met Leu Leu Val Gly Val His Gly Pro Arg
        115                 120                 125

ACC CCC TGC GAG GAG ATC CTG GTG AAG CAC GTG GGC AGC CGG CTC TAC       432
Thr Pro Cys Glu Glu Ile Leu Val Lys His Val Gly Ser Arg Leu Tyr
    130                 135                 140
```

```
AGC GTG TCC TAC CTG CTC AAG GAC AAG GGG GAG TAC ACA CTG GTG GTC        480
Ser Val Ser Tyr Leu Leu Lys Asp Lys Gly Glu Tyr Thr Leu Val Val
145                 150                 155                 160

AAA TGG GGG GAC GAG CAC ATC CCA GGC AGN CCC TAC CGN GTT GTG GTG        528
Lys Trp Gly Asp Glu His Ile Pro Gly Xaa Pro Tyr Xaa Val Val Val
                165                 170                 175

CCC TGAGTCTTGG GGCC                                                    545
Pro
```

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 177 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

```
Lys Val Lys Met Asp Cys Gln Glu Cys Pro Glu Gly Tyr Arg Val Thr
 1               5                  10                  15

Tyr Thr Pro Met Ala Pro Gly Ser Tyr Leu Ile Ser Ile Lys Tyr Gly
            20                  25                  30

Gly Pro Tyr His Ile Gly Gly Ser Pro Phe Lys Ala Lys Val Thr Gly
        35                  40                  45

Pro Arg Leu Val Ser Asn His Ser Leu His Glu Thr Ser Ser Val Phe
    50                  55                  60

Val Asp Ser Leu Thr Lys Ala Thr Cys Ala Pro Gln His Gly Ala Pro
65                  70                  75                  80

Gly Pro Gly Pro Ala Asp Ala Ser Lys Val Val Ala Lys Gly Leu Gly
                85                  90                  95

Leu Ser Lys Ala Tyr Val Gly Gln Lys Ser Ser Phe Thr Val Asp Cys
            100                 105                 110

Ser Lys Ala Gly Asn Asn Met Leu Leu Val Gly Val His Gly Pro Arg
        115                 120                 125

Thr Pro Cys Glu Glu Ile Leu Val Lys His Val Gly Ser Arg Leu Tyr
    130                 135                 140

Ser Val Ser Tyr Leu Leu Lys Asp Lys Gly Glu Tyr Thr Leu Val Val
145                 150                 155                 160

Lys Trp Gly Asp Glu His Ile Pro Gly Xaa Pro Tyr Xaa Val Val Val
                165                 170                 175

Pro
```

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 8367 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION: 172..8115

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

```
CGATCCGGGC GCCACCCCGC GGTCATCGGT CACCGGTCGC TCTCAGGAAC AGCAGCGCAA      60

CCTCTGCTCC CTGCCTCGCC TCCCGCGCGC CTAGGTGCCT GCGACTTTAA TTAAAGGGCC     120

GTCCCCTCGC CGAGGCTGCA GCACCGCCCC CCCGGCTTCT CGCGCCTCAA A ATG AGT      177
                                                          Met Ser
                                                            1

AGC TCC CAC TCT CGG GCG GGC CAG AGC GCA GCA GGC GCG GCT CCG GGC      225
Ser Ser His Ser Arg Ala Gly Gln Ser Ala Ala Gly Ala Ala Pro Gly
          5                  10                  15

GGC GGC GTC GAC ACG CGG GAC GCC GAG ATG CCG GCC ACC GAG AAG GAC      273
Gly Gly Val Asp Thr Arg Asp Ala Glu Met Pro Ala Thr Glu Lys Asp
     20                  25                  30

CTG GCG GAG GAC GCG CCG TGG AAG AAG ATC CAG CAG AAC ACT TTC ACG      321
Leu Ala Glu Asp Ala Pro Trp Lys Lys Ile Gln Gln Asn Thr Phe Thr
 35                  40                  45                  50

CGC TGG TGC AAC GAG CAC CTG AAG TGC GTG AGC AAG CGC ATC GCC AAC      369
Arg Trp Cys Asn Glu His Leu Lys Cys Val Ser Lys Arg Ile Ala Asn
                55                  60                  65

CTG CAG ACG GAC CTG AGC GAC GGG CTG CGG CTT ATC GCG CTG TTG GAG      417
Leu Gln Thr Asp Leu Ser Asp Gly Leu Arg Leu Ile Ala Leu Leu Glu
            70                  75                  80

GTG CTC AGC CAG AAG AAG ATG CAC CGC AAG CAC AAC CAG CGG CCC ACT      465
Val Leu Ser Gln Lys Lys Met His Arg Lys His Asn Gln Arg Pro Thr
          85                  90                  95

TTC CGC CAA ATG CAG CTT GAG AAC GTG TCG GTG GCG CTC GAG TTC CTG      513
Phe Arg Gln Met Gln Leu Glu Asn Val Ser Val Ala Leu Glu Phe Leu
     100                 105                 110

GAC CGC GAG AGC ATC AAA CTG GTG TCC ATC GAC AGC AAG GCC ATC GTG      561
Asp Arg Glu Ser Ile Lys Leu Val Ser Ile Asp Ser Lys Ala Ile Val
115                 120                 125                 130

GAC GGG AAC CTG AAG CTG ATC CTG GGC CTC ATC TGG ACC CTG ATC CTG      609
Asp Gly Asn Leu Lys Leu Ile Leu Gly Leu Ile Trp Thr Leu Ile Leu
                135                 140                 145

CAC TAC TCC ATC TCC ATG CCC ATG TGG GAC GAG GAG GAG GAT GAG GAG      657
His Tyr Ser Ile Ser Met Pro Met Trp Asp Glu Glu Glu Asp Glu Glu
            150                 155                 160

GCC AAG AAG CAG ACC CCC AAG CAG AGG CTC CTG GGC TGG ATC CAG AAC      705
Ala Lys Lys Gln Thr Pro Lys Gln Arg Leu Leu Gly Trp Ile Gln Asn
          165                 170                 175

AAG CTG CCG CAG CTG CCC ATC ACC AAC TTC AGC CGG GAC TGG CAG AGC      753
Lys Leu Pro Gln Leu Pro Ile Thr Asn Phe Ser Arg Asp Trp Gln Ser
     180                 185                 190

GGC CGG GCC CTG GGC GCC CTG GTG GAC AGC TGT GCC CCG GGC CTG TGT      801
Gly Arg Ala Leu Gly Ala Leu Val Asp Ser Cys Ala Pro Gly Leu Cys
195                 200                 205                 210
```

```
CCT GAC TGG GAC TCT TGG GAC GCC AGC AAG CCC GTT ACC AAT GCG CGA        849
Pro Asp Trp Asp Ser Trp Asp Ala Ser Lys Pro Val Thr Asn Ala Arg
                215                 220                 225

GAG GCC ATG CAG CAG GCG GAT GAC TGG CTG GGC ATC CCC CAG GTG ATC        897
Glu Ala Met Gln Gln Ala Asp Asp Trp Leu Gly Ile Pro Gln Val Ile
            230                 235                 240

ACC CCC GAG GAG ATT GTG GAC CCC AAC GTG GAC GAG CAC TCT GTC ATG        945
Thr Pro Glu Glu Ile Val Asp Pro Asn Val Asp Glu His Ser Val Met
        245                 250                 255

ACC TAC CTG TCC CAG TTC CCC AAG GCC AAG CTG AAG CCA GGG GCT CCC        993
Thr Tyr Leu Ser Gln Phe Pro Lys Ala Lys Leu Lys Pro Gly Ala Pro
    260                 265                 270

TTG CGC CCC AAA CTG AAC CCG AAG AAA GCC CGT GCC TAC GGG CCA GGC       1041
Leu Arg Pro Lys Leu Asn Pro Lys Lys Ala Arg Ala Tyr Gly Pro Gly
275                 280                 285                 290

ATC GAG CCC ACA GGC AAC ATG GTG AAG AAG CGG GCA GAG TTC ACT GTG       1089
Ile Glu Pro Thr Gly Asn Met Val Lys Lys Arg Ala Glu Phe Thr Val
                295                 300                 305

GAG ACC AGA AGT GCT GGC CAG GGA GAG GTG CTG GTG TAC GTG GAG GAC       1137
Glu Thr Arg Ser Ala Gly Gln Gly Glu Val Leu Val Tyr Val Glu Asp
            310                 315                 320

CCG GCC GGA CAC CAG GAG GAG GCA AAA GTG ACC GCC AAT AAC GAC AAG       1185
Pro Ala Gly His Gln Glu Glu Ala Lys Val Thr Ala Asn Asn Asp Lys
        325                 330                 335

AAC CGC ACC TTC TCC GTC TGG TAC GTC CCC GAG GTG ACG GGG ACT CAT       1233
Asn Arg Thr Phe Ser Val Trp Tyr Val Pro Glu Val Thr Gly Thr His
    340                 345                 350

AAG GTT ACT GTG CTC TTT GCT GGC CAG CAC ATC GCC AAG AGC CCC TTC       1281
Lys Val Thr Val Leu Phe Ala Gly Gln His Ile Ala Lys Ser Pro Phe
355                 360                 365                 370

GAG GTG TAC GTG GAT AAG TCA CAG GGT GAC GCC AGC AAA GTG ACA GCC       1329
Glu Val Tyr Val Asp Lys Ser Gln Gly Asp Ala Ser Lys Val Thr Ala
                375                 380                 385

CAA GGT CCC GGC CTG GAG CCC AGT GGC AAC ATC GCC AAC AAG ACC ACC       1377
Gln Gly Pro Gly Leu Glu Pro Ser Gly Asn Ile Ala Asn Lys Thr Thr
            390                 395                 400

TAC TTT GAG ATC TTT ACG GCA GGA GCT GGC ACG GGC GAG GTC GAG GTT       1425
Tyr Phe Glu Ile Phe Thr Ala Gly Ala Gly Thr Gly Glu Val Glu Val
        405                 410                 415

GTG ATC CAG GAC CCC ATG GGA CAG AAG GGC ACG GTA GAG CCT CAG CTG       1473
Val Ile Gln Asp Pro Met Gly Gln Lys Gly Thr Val Glu Pro Gln Leu
    420                 425                 430

GAG GCC CGG GGC GAC AGC ACA TAC CGC TGC AGC TAC CAG CCC ACC ATG       1521
Glu Ala Arg Gly Asp Ser Thr Tyr Arg Cys Ser Tyr Gln Pro Thr Met
435                 440                 445                 450

GAG GGC GTC CAC ACC GTG CAC GTC ACG TTT GCC GGC GTG CCC ATC CCT       1569
Glu Gly Val His Thr Val His Val Thr Phe Ala Gly Val Pro Ile Pro
                455                 460                 465

CGC AGC CCC TAC ACT GTC ACT GTT GGC CAA GCC TGT AAC CCG AGT GCC       1617
Arg Ser Pro Tyr Thr Val Thr Val Gly Gln Ala Cys Asn Pro Ser Ala
            470                 475                 480
```

```
TGC CGG GCG GTT GGC CGG GGC CTC CAG CCC AAG GGT GTG CGG GTG AAG      1665
Cys Arg Ala Val Gly Arg Gly Leu Gln Pro Lys Gly Val Arg Val Lys
    485                 490                 495

GAG ACA GCT GAC TTC AAG GTG TAC ACA AAG GGC GCT GGC AGT GGG GAG      1713
Glu Thr Ala Asp Phe Lys Val Tyr Thr Lys Gly Ala Gly Ser Gly Glu
500                 505                 510

CTG AAG GTC ACC GTG AAG GGC CCC AAG GGA GAG GAG CGC GTG AAG CAG      1761
Leu Lys Val Thr Val Lys Gly Pro Lys Gly Glu Glu Arg Val Lys Gln
515                 520                 525                 530

AAG GAC CTG GGG GAT GGC GTG TAT GGC TTC GAG TAT TAC CCC ATG GTC      1809
Lys Asp Leu Gly Asp Gly Val Tyr Gly Phe Glu Tyr Tyr Pro Met Val
                535                 540                 545

CCT GGA ACC TAT ATC GTC ACC ATC ACG TGG GGT GGT CAG AAC ATC GGG      1857
Pro Gly Thr Tyr Ile Val Thr Ile Thr Trp Gly Gly Gln Asn Ile Gly
            550                 555                 560

CGC AGT CCC TTC GAA GTG AAG GTG GGC ACC GAG TGT GGC AAT CAG AAG      1905
Arg Ser Pro Phe Glu Val Lys Val Gly Thr Glu Cys Gly Asn Gln Lys
        565                 570                 575

GTA CGG GCC TGG GGC CCT GGG CTG GAG GGC GGC GTC GTT GGC AAG TCA      1953
Val Arg Ala Trp Gly Pro Gly Leu Glu Gly Gly Val Val Gly Lys Ser
    580                 585                 590

GCA GAC TTT GTG GTG GAG GCT ATC GGG GAC GAC GTG GGC ACG CTG GGC      2001
Ala Asp Phe Val Val Glu Ala Ile Gly Asp Asp Val Gly Thr Leu Gly
595                 600                 605                 610

TTC TCG GTG GAA GGG CCA TCG CAG GCT AAG ATC GAA TGT GAC GAC AAG      2049
Phe Ser Val Glu Gly Pro Ser Gln Ala Lys Ile Glu Cys Asp Asp Lys
                615                 620                 625

GGC GAC GGC TCC TGT GAT GTG CGC TAC TGG CCG CAG GAG GCT GGC GAG      2097
Gly Asp Gly Ser Cys Asp Val Arg Tyr Trp Pro Gln Glu Ala Gly Glu
            630                 635                 640

TAT GCC GTT CAC GTG CTG TGC AAC AGC GAA GAC ATC CGC CTC AGC CCC      2145
Tyr Ala Val His Val Leu Cys Asn Ser Glu Asp Ile Arg Leu Ser Pro
        645                 650                 655

TTC ATG GCT GAC ATC CGT GAC GCG CCC CAG GAC TTC CAC CCA GAC AGG      2193
Phe Met Ala Asp Ile Arg Asp Ala Pro Gln Asp Phe His Pro Asp Arg
    660                 665                 670

GTG AAG GCA CGT GGG CCT GGA TTG GAG AAG ACA GGT GTG GCC GTC AAC      2241
Val Lys Ala Arg Gly Pro Gly Leu Glu Lys Thr Gly Val Ala Val Asn
675                 680                 685                 690

AAG CCA GCA GAG TTC ACA GTG GAT GCC AAG CAC GGT GGC AAG GCC CCA      2289
Lys Pro Ala Glu Phe Thr Val Asp Ala Lys His Gly Gly Lys Ala Pro
                695                 700                 705

CTT CGG GTC CAA GTC CAG GAC AAT GAA GGC TGC CCT GTG GAG GCG TTG      2337
Leu Arg Val Gln Val Gln Asp Asn Glu Gly Cys Pro Val Glu Ala Leu
            710                 715                 720

GTC AAG GAC AAC GGC AAT GGC ACT TAC AGC TGC TCC TAC GTG CCC AGG      2385
Val Lys Asp Asn Gly Asn Gly Thr Tyr Ser Cys Ser Tyr Val Pro Arg
        725                 730                 735
```

```
AAG CCG GTG AAG CAC ACA GCC ATG GTG TCC TGG GGA GGC GTC AGC ATC      2433
Lys Pro Val Lys His Thr Ala Met Val Ser Trp Gly Gly Val Ser Ile
    740                 745                 750

CCC AAC AGC CCC TTC AGG GTG AAT GTG GGA GCT GGC AGC CAC CCC AAC      2481
Pro Asn Ser Pro Phe Arg Val Asn Val Gly Ala Gly Ser His Pro Asn
755                 760                 765                 770

AAG GTC AAA GTA TAC GGC CCC GGA GTA GCC AAG ACA GGG CTC AAG GCC      2529
Lys Val Lys Val Tyr Gly Pro Gly Val Ala Lys Thr Gly Leu Lys Ala
                775                 780                 785

CAC GAG CCC ACC TAC TTC ACT GTG GAC TGC GCC GAG GCT GGC CAG GGG      2577
His Glu Pro Thr Tyr Phe Thr Val Asp Cys Ala Glu Ala Gly Gln Gly
            790                 795                 800

GAC GTC AGC ATC GGC ATC AAG TGT GCC CCT GGA GTG GTA GGC CCC GCC      2625
Asp Val Ser Ile Gly Ile Lys Cys Ala Pro Gly Val Val Gly Pro Ala
        805                 810                 815

GAA GCT GAC ATC GAC TTC GAC ATC ATC CGC AAT GAC AAT GAC ACC TTC      2673
Glu Ala Asp Ile Asp Phe Asp Ile Ile Arg Asn Asp Asn Asp Thr Phe
    820                 825                 830

ACG GTC AAG TAC ACG CCC CGG GGG GCT GGC AGC TAC ACC ATT ATG GTC      2721
Thr Val Lys Tyr Thr Pro Arg Gly Ala Gly Ser Tyr Thr Ile Met Val
835                 840                 845                 850

CTC TTT GCT GAC CAG GCC ACG CCC ACC AGC CCC ATC CGA GTC AAG GTG      2769
Leu Phe Ala Asp Gln Ala Thr Pro Thr Ser Pro Ile Arg Val Lys Val
                855                 860                 865

GAG CCC TCT CAT GAC GCC AGT AAG GTG AAG GCC GAG GGC CCT GGC CTC      2817
Glu Pro Ser His Asp Ala Ser Lys Val Lys Ala Glu Gly Pro Gly Leu
            870                 875                 880

AGT CGC ACT GGT GTC GAG CTT GGC AAG CCC ACC CAC TTC ACA GTA AAT      2865
Ser Arg Thr Gly Val Glu Leu Gly Lys Pro Thr His Phe Thr Val Asn
        885                 890                 895

GCC AAA GCT GCT GGC AAA GGC AAG CTG GAC GTC CAG TTC TCA GGA CTC      2913
Ala Lys Ala Ala Gly Lys Gly Lys Leu Asp Val Gln Phe Ser Gly Leu
    900                 905                 910

ACC AAG GGG GAT GCA GTG CGA GAT GTG GAC ATC ATC GAC CAC CAT GAC      2961
Thr Lys Gly Asp Ala Val Arg Asp Val Asp Ile Ile Asp His His Asp
915                 920                 925                 930

AAC ACC TAC ACA GTC AAG TAC ACG CCT GTC CAG CAG GGT CCA GTA GGC      3009
Asn Thr Tyr Thr Val Lys Tyr Thr Pro Val Gln Gln Gly Pro Val Gly
                935                 940                 945

GTC AAT GTC ACT TAT GGA GGG GAT CCC ATC CCT AAG AGC CCT TTC TCA      3057
Val Asn Val Thr Tyr Gly Gly Asp Pro Ile Pro Lys Ser Pro Phe Ser
            950                 955                 960

GTG GCA GTA TCT CCA AGC CTG GAC CTC AGC AAG ATC AAG GTG TCT GGC      3105
Val Ala Val Ser Pro Ser Leu Asp Leu Ser Lys Ile Lys Val Ser Gly
        965                 970                 975

CTG GGA GAG AAG GTG GAC GTT GGC AAA GAC CAG GAG TTC ACA GTC AAA      3153
Leu Gly Glu Lys Val Asp Val Gly Lys Asp Gln Glu Phe Thr Val Lys
    980                 985                 990

TCA AAG GGT GCT GGT GGT CAA GGC AAA GTG GCA TCC AAG ATT GTG GGC      3201
Ser Lys Gly Ala Gly Gly Gln Gly Lys Val Ala Ser Lys Ile Val Gly
995                 1000                1005                1010
```

```
CCC TCG GGT GCA GCG GTG CCC TGC AAG GTG GAG CCA GGC CTG GGG GCT      3249
Pro Ser Gly Ala Ala Val Pro Cys Lys Val Glu Pro Gly Leu Gly Ala
                1015                1020                1025

GAC AAC AGT GTG GTG CGC TTC CTG CCC CGT GAG GAA GGG CCC TAT GAG      3297
Asp Asn Ser Val Val Arg Phe Leu Pro Arg Glu Glu Gly Pro Tyr Glu
            1030                1035                1040

GTG GAG GTG ACC TAT GAC GGC GTG CCC GTG CCT GGC AGC CCC TTT CCT      3345
Val Glu Val Thr Tyr Asp Gly Val Pro Val Pro Gly Ser Pro Phe Pro
        1045                1050                1055

CTG GAA GCT GTG GCC CCC ACC AAG CCT AGC AAG GTG AAG GCG TTT GGG      3393
Leu Glu Ala Val Ala Pro Thr Lys Pro Ser Lys Val Lys Ala Phe Gly
    1060                1065                1070

CCG GGG CTG CAG GGA GGC AGT GCG GGC TCC CCC GCC CGC TTC ACC ATC      3441
Pro Gly Leu Gln Gly Gly Ser Ala Gly Ser Pro Ala Arg Phe Thr Ile
1075                1080                1085                1090

GAC ACC AAG GGC GCC GGC ACA GGT GGC CTG GGC CTG ACG GTG GAG GGC      3489
Asp Thr Lys Gly Ala Gly Thr Gly Gly Leu Gly Leu Thr Val Glu Gly
                1095                1100                1105

CCC TGT GAG GCG CAG CTC GAG TGC TTG GAC AAT GGG GAT GGC ACA TGT      3537
Pro Cys Glu Ala Gln Leu Glu Cys Leu Asp Asn Gly Asp Gly Thr Cys
            1110                1115                1120

TCC GTG TCC TAC GTG CCC ACC GAG CCC GGG GAC TAC AAC ATC AAC ATC      3585
Ser Val Ser Tyr Val Pro Thr Glu Pro Gly Asp Tyr Asn Ile Asn Ile
        1125                1130                1135

CTC TTC GCT GAC ACC CAC ATC CCT GGC TCC CCA TTC AAG GCC CAC GTG      3633
Leu Phe Ala Asp Thr His Ile Pro Gly Ser Pro Phe Lys Ala His Val
    1140                1145                1150

GTT CCC TGC TTT GAC GCA TCC AAA GTC AAG TGC TCA GGC CCC GGG CTG      3681
Val Pro Cys Phe Asp Ala Ser Lys Val Lys Cys Ser Gly Pro Gly Leu
1155                1160                1165                1170

GAG CGG GCC ACC GCT GGG GAG GTG GGC CAA TTC CAA GTG GAC TGC TCG      3729
Glu Arg Ala Thr Ala Gly Glu Val Gly Gln Phe Gln Val Asp Cys Ser
                1175                1180                1185

AGC GCG GGC AGC GCG GAG CTG ACC ATT GAG ATC TGC TCG GAG GCG GGG      3777
Ser Ala Gly Ser Ala Glu Leu Thr Ile Glu Ile Cys Ser Glu Ala Gly
            1190                1195                1200

CTT CCG GCC GAG GTG TAC ATC CAG GAC CAC GGT GAT GGC ACG CAC ACC      3825
Leu Pro Ala Glu Val Tyr Ile Gln Asp His Gly Asp Gly Thr His Thr
        1205                1210                1215

ATT ACC TAC ATT CCC CTC TGC CCC GGG GCC TAC ACC GTC ACC ATC AAG      3873
Ile Thr Tyr Ile Pro Leu Cys Pro Gly Ala Tyr Thr Val Thr Ile Lys
    1220                1225                1230

TAC GGC GGC CAG CCC GTG CCC AAC TTC CCC AGC AAG CTG CAG GTG GAA      3921
Tyr Gly Gly Gln Pro Val Pro Asn Phe Pro Ser Lys Leu Gln Val Glu
1235                1240                1245                1250

CCT GCG GTG GAC ACT TCC GGT GTC CAG TGC TAT GGG CCT GGT ATT GAG      3969
Pro Ala Val Asp Thr Ser Gly Val Gln Cys Tyr Gly Pro Gly Ile Glu
                1255                1260                1265

GGC CAG GGT GTC TTC CGT GAG GCC ACC ACT GAG TTC AGT GTG GAC GCC      4017
Gly Gln Gly Val Phe Arg Glu Ala Thr Thr Glu Phe Ser Val Asp Ala
            1270                1275                1280
```

```
CGG GCT CTG ACA CAG ACC GGA GGG CCG CAC GTC AAG GCC CGT GTG GCC      4065
Arg Ala Leu Thr Gln Thr Gly Gly Pro His Val Lys Ala Arg Val Ala
        1285                1290                1295

AAC CCC TCA GGC AAC CTG ACG GAG ACC TAC GTT CAG GAC CGT GGC GAT      4113
Asn Pro Ser Gly Asn Leu Thr Glu Thr Tyr Val Gln Asp Arg Gly Asp
    1300                1305                1310

GGC ATG TAC AAA GTG GAG TAC ACG CCT TAC GAG GAG GGA CTG CAC TCC      4161
Gly Met Tyr Lys Val Glu Tyr Thr Pro Tyr Glu Glu Gly Leu His Ser
1315                1320                1325                1330

GTG GAC GTG ACC TAT GAC GGC AGT CCC GTG CCC AGC AGC CCC TTC CAG      4209
Val Asp Val Thr Tyr Asp Gly Ser Pro Val Pro Ser Ser Pro Phe Gln
                1335                1340                1345

GTG CCC GTG ACC GAG GGC TGC GAC CCC TCC CGG GTG CGT GTC CAC GGG      4257
Val Pro Val Thr Glu Gly Cys Asp Pro Ser Arg Val Arg Val His Gly
            1350                1355                1360

CCA GGC ATC CAA AGT GGC ACC ACC AAC AAG CCC AAC AAG TTC ACT GTG      4305
Pro Gly Ile Gln Ser Gly Thr Thr Asn Lys Pro Asn Lys Phe Thr Val
        1365                1370                1375

GAG ACC AGG GGA GCT GGC ACG GGC GGC CTG GGC CTG GCT GTA GAG GGC      4353
Glu Thr Arg Gly Ala Gly Thr Gly Gly Leu Gly Leu Ala Val Glu Gly
    1380                1385                1390

CCC TCC GAG GCC AAG ATG TCC TGC ATG GAT AAC AAG GAC GGC AGC TGC      4401
Pro Ser Glu Ala Lys Met Ser Cys Met Asp Asn Lys Asp Gly Ser Cys
1395                1400                1405                1410

TCG GTC GAG TAC ATC CCT TAT GAG GCT GGC ACC TAC AGC CTC AAC GTC      4449
Ser Val Glu Tyr Ile Pro Tyr Glu Ala Gly Thr Tyr Ser Leu Asn Val
                1415                1420                1425

ACC TAT GGT GGC CAT CAA GTG CCA GGC AGT CCT TTC AAG GTC CCT GTG      4497
Thr Tyr Gly Gly His Gln Val Pro Gly Ser Pro Phe Lys Val Pro Val
            1430                1435                1440

CAT GAT GTG ACA GAT GCG TCC AAG GTC AAG TGC TCT GGG CCC GGC CTG      4545
His Asp Val Thr Asp Ala Ser Lys Val Lys Cys Ser Gly Pro Gly Leu
        1445                1450                1455

AGC CCA GGC ATG GTT CGT GCC AAC CTC CCT CAG TCC TTC CAG GTG GAC      4593
Ser Pro Gly Met Val Arg Ala Asn Leu Pro Gln Ser Phe Gln Val Asp
    1460                1465                1470

ACA AGC AAG GCT GGT GTG GCC CCA TTG CAG GTC AAA GTG CAA GGG CCC      4641
Thr Ser Lys Ala Gly Val Ala Pro Leu Gln Val Lys Val Gln Gly Pro
1475                1480                1485                1490

AAA GGC CTG GTG GAG CCA GTG GAC GTG GTA GAC AAC GCT GAT GGC ACC      4689
Lys Gly Leu Val Glu Pro Val Asp Val Val Asp Asn Ala Asp Gly Thr
                1495                1500                1505

CAG ACC GTC AAT TAT GTG CCC AGC CGA GAA GGG CCC TAC AGC ATC TCA      4737
Gln Thr Val Asn Tyr Val Pro Ser Arg Glu Gly Pro Tyr Ser Ile Ser
            1510                1515                1520

GTA CTG TAT GGA GAT GAA GAG GTA CCC CGG AGC CCC TTC AAG GTC AAG      4785
Val Leu Tyr Gly Asp Glu Glu Val Pro Arg Ser Pro Phe Lys Val Lys
        1525                1530                1535

GTG CTG CCT ACT CAT GAT GCC AGC AAG GTG AAG GCC AGT GGC CCC GGG      4833
Val Leu Pro Thr His Asp Ala Ser Lys Val Lys Ala Ser Gly Pro Gly
    1540                1545                1550
```

```
CTC AAC ACC ACT GGC GTG CCT GCC AGC CTG CCC GTG GAG TTC ACC ATC      4881
Leu Asn Thr Thr Gly Val Pro Ala Ser Leu Pro Val Glu Phe Thr Ile
1555                 1560                 1565                 1570

GAT GCA AAG GAC GCC GGG GAG GGC CTG CTG GCT GTC CAG ATC ACG GAT      4929
Asp Ala Lys Asp Ala Gly Glu Gly Leu Leu Ala Val Gln Ile Thr Asp
                1575                 1580                 1585

CCC GAA GGC AAG CCG AAG AAG ACA CAC ATC CAA GAC AAC CAT GAC GGC      4977
Pro Glu Gly Lys Pro Lys Lys Thr His Ile Gln Asp Asn His Asp Gly
            1590                 1595                 1600

ACG TAT ACA GTG GCC TAC GTG CCA GAC GTG ACA GGT CGC TAC ACC ATC      5025
Thr Tyr Thr Val Ala Tyr Val Pro Asp Val Thr Gly Arg Tyr Thr Ile
        1605                 1610                 1615

CTC ATC AAG TAC GGT GGT GAC GAG ATC CCC TTC TCC CCG TAC CGC GTG      5073
Leu Ile Lys Tyr Gly Gly Asp Glu Ile Pro Phe Ser Pro Tyr Arg Val
    1620                 1625                 1630

CGT GCC GTG CCC ACC GGG GAC GCC AGC AAG TGC ACT GTC ACA GTG TCA      5121
Arg Ala Val Pro Thr Gly Asp Ala Ser Lys Cys Thr Val Thr Val Ser
1635                 1640                 1645                 1650

ATC GGA GGT CAC GGG CTA GGT GCT GGC ATC GGC CCC ACC ATT CAG ATT      5169
Ile Gly Gly His Gly Leu Gly Ala Gly Ile Gly Pro Thr Ile Gln Ile
                1655                 1660                 1665

GGG GAG GAG ACG GTG ATC ACT GTG GAC ACT AAG GCG GCA GGC AAA GGC      5217
Gly Glu Glu Thr Val Ile Thr Val Asp Thr Lys Ala Ala Gly Lys Gly
            1670                 1675                 1680

AAA GTG ACG TGC ACC GTG TGC ACG CCT GAT GGC TCA GAG GTG GAT GTG      5265
Lys Val Thr Cys Thr Val Cys Thr Pro Asp Gly Ser Glu Val Asp Val
        1685                 1690                 1695

GAC GTG GTG GAG AAT GAG GAC GGC ACT TTC GAC ATC TTC TAC ACG GCC      5313
Asp Val Val Glu Asn Glu Asp Gly Thr Phe Asp Ile Phe Tyr Thr Ala
    1700                 1705                 1710

CCC CAG CCG GGC AAA TAC GTC ATC TGT GTG CGC TTT GGT GGC GAG CAC      5361
Pro Gln Pro Gly Lys Tyr Val Ile Cys Val Arg Phe Gly Gly Glu His
1715                 1720                 1725                 1730

GTG CCC AAC AGC CCC TTC CAA GTG ACG GCT CTG GCT GGG GAC CAG CCC      5409
Val Pro Asn Ser Pro Phe Gln Val Thr Ala Leu Ala Gly Asp Gln Pro
                1735                 1740                 1745

TCG GTG CAG CCC CCT CTA CGG TCT CAG CAG CTG GCC CCA CAG TAC ACC      5457
Ser Val Gln Pro Pro Leu Arg Ser Gln Gln Leu Ala Pro Gln Tyr Thr
            1750                 1755                 1760

TAC GCC CAG GGC GGC CAG CAG ACT TGG GCC CCG GAG AGG CCC CTG GTG      5505
Tyr Ala Gln Gly Gly Gln Gln Thr Trp Ala Pro Glu Arg Pro Leu Val
        1765                 1770                 1775

GGT GTC AAT GGG CTG GAT GTG ACC AGC CTG AGG CCC TTT GAC CTT GTC      5553
Gly Val Asn Gly Leu Asp Val Thr Ser Leu Arg Pro Phe Asp Leu Val
    1780                 1785                 1790

ATC CCC TTC ACC ATC AAG AAG GGC GAG ATC ACA GGG GAG GTT CGG ATG      5601
Ile Pro Phe Thr Ile Lys Lys Gly Glu Ile Thr Gly Glu Val Arg Met
1795                 1800                 1805                 1810

CCC TCA GGC AAG GTG GCG CAG CCC ACC ATC ACT GAC AAC AAA GAC GGC      5649
Pro Ser Gly Lys Val Ala Gln Pro Thr Ile Thr Asp Asn Lys Asp Gly
                1815                 1820                 1825
```

```
ACC GTG ACC GTG CGG TAT GCA CCC AGC GAG GCT GGC CTG CAC GAG ATG      5697
Thr Val Thr Val Arg Tyr Ala Pro Ser Glu Ala Gly Leu His Glu Met
            1830                1835                1840

GAC ATC CGC TAT GAC AAC ATG CAC ATC CCA GGA AGC CCC TTG CAG TTC      5745
Asp Ile Arg Tyr Asp Asn Met His Ile Pro Gly Ser Pro Leu Gln Phe
        1845                1850                1855

TAT GTG GAT TAC GTC AAC TGT GGC CAT GTC ACT GCC TAT GGG CCT GGC      5793
Tyr Val Asp Tyr Val Asn Cys Gly His Val Thr Ala Tyr Gly Pro Gly
    1860                1865                1870

CTC ACC CAT GGA GTA GTG AAC AAG CCT GCC ACC TTC ACC GTC AAC ACC      5841
Leu Thr His Gly Val Val Asn Lys Pro Ala Thr Phe Thr Val Asn Thr
1875                1880                1885                1890

AAG GAT GCA GGA GAG GGG GGC CTG TCT CTG GCC ATT GAG GGC CCG TCC      5889
Lys Asp Ala Gly Glu Gly Gly Leu Ser Leu Ala Ile Glu Gly Pro Ser
                1895                1900                1905

AAA GCA GAA ATC AGC TGC ACT GAC AAC CAG GAT GGG ACA TGC AGC GTG      5937
Lys Ala Glu Ile Ser Cys Thr Asp Asn Gln Asp Gly Thr Cys Ser Val
            1910                1915                1920

TCC TAC CTG CCT GTG CTG CCG GGG GAC TAC AGC ATT CTA GTC AAG TAC      5985
Ser Tyr Leu Pro Val Leu Pro Gly Asp Tyr Ser Ile Leu Val Lys Tyr
        1925                1930                1935

AAT GAA CAG CAC GTC CCA GGC AGC CCC TTC ACT GCT CGG GTC ACA GGT      6033
Asn Glu Gln His Val Pro Gly Ser Pro Phe Thr Ala Arg Val Thr Gly
    1940                1945                1950

GAC GAC TCC ATG CGT ATG TCC CAC CTA AAG GTC GGC TCT GCT GCC GAC      6081
Asp Asp Ser Met Arg Met Ser His Leu Lys Val Gly Ser Ala Ala Asp
1955                1960                1965                1970

ATC CCC ATC AAC ATC TCA GAG ACG GAT CTC AGC CTG CTG ACG GCC ACT      6129
Ile Pro Ile Asn Ile Ser Glu Thr Asp Leu Ser Leu Leu Thr Ala Thr
                1975                1980                1985

GTG GTC CCG CCC TCG GGC CGG GAG GAG CCC TGT TTG CTG AAG CGG CTG      6177
Val Val Pro Pro Ser Gly Arg Glu Glu Pro Cys Leu Leu Lys Arg Leu
            1990                1995                2000

CGT AAT GGC CAC GTG GGG ATT TCA TTC GTG CCC AAG GAG ACG GGG GAG      6225
Arg Asn Gly His Val Gly Ile Ser Phe Val Pro Lys Glu Thr Gly Glu
        2005                2010                2015

CAC CTG GTG CAT GTG AAG AAA AAT GGC CAG CAC GTG GCC AGC AGC CCC      6273
His Leu Val His Val Lys Lys Asn Gly Gln His Val Ala Ser Ser Pro
    2020                2025                2030

ATC CCG GTG GTG ATC AGC CAG TCG GAA ATT GGG GAT GCC AGT CGT GTT      6321
Ile Pro Val Val Ile Ser Gln Ser Glu Ile Gly Asp Ala Ser Arg Val
2035                2040                2045                2050

CGG GTC TCT GGT CAG GGC CTT CAC GAA GGC CAC ACC TTT GAG CCT GCA      6369
Arg Val Ser Gly Gln Gly Leu His Glu Gly His Thr Phe Glu Pro Ala
                2055                2060                2065

GAG TTT ATC ATT GAT ACC CGC GAT GCA GGC TAT GGT GGG CTC AGC CTG      6417
Glu Phe Ile Ile Asp Thr Arg Asp Ala Gly Tyr Gly Gly Leu Ser Leu
            2070                2075                2080

TCC ATT GAG GGC CCC AGC AAG GTG GAC ATC AAC ACA GAG GAC CTG GAG      6465
Ser Ile Glu Gly Pro Ser Lys Val Asp Ile Asn Thr Glu Asp Leu Glu
        2085                2090                2095
```

```
GAC GGG ACG TGC AGG GTC ACC TAC TGC CCC ACA GAG CCA GGC AAC TAC      6513
Asp Gly Thr Cys Arg Val Thr Tyr Cys Pro Thr Glu Pro Gly Asn Tyr
    2100                2105                2110

ATC ATC AAC ATC AAG TTT GCC GAC CAG CAC GTG CCT GGC AGC CCC TTC      6561
Ile Ile Asn Ile Lys Phe Ala Asp Gln His Val Pro Gly Ser Pro Phe
2115                2120                2125                2130

TCT GTG AAG GTG ACA GGC GAG GGC CGG GTG AAA GAG AGC ATC ACC CGC      6609
Ser Val Lys Val Thr Gly Glu Gly Arg Val Lys Glu Ser Ile Thr Arg
                2135                2140                2145

AGG CGT CGG GCT CCT TCA GTG GCC AAC GTT GGT AGT CAT TGT GAC CTC      6657
Arg Arg Arg Ala Pro Ser Val Ala Asn Val Gly Ser His Cys Asp Leu
            2150                2155                2160

AGC CTG AAA ATC CCT GAA ATT AGC ATC CAG GAT ATG ACA GCC CAG GTG      6705
Ser Leu Lys Ile Pro Glu Ile Ser Ile Gln Asp Met Thr Ala Gln Val
        2165                2170                2175

ACC AGC CCA TCG GGC AAG ACC CAT GAG GCC GAG ATC GTG GAA GGG GAG      6753
Thr Ser Pro Ser Gly Lys Thr His Glu Ala Glu Ile Val Glu Gly Glu
    2180                2185                2190

AAC CAC ACC TAC TGC ATC CGC TTT GTT CCC GCT GAG ATG GGC ACA CAC      6801
Asn His Thr Tyr Cys Ile Arg Phe Val Pro Ala Glu Met Gly Thr His
2195                2200                2205                2210

ACA GTC AGC GTC AAG TAC AAG GGC CAG CAC GTG CCT GGG AGC CCC TTC      6849
Thr Val Ser Val Lys Tyr Lys Gly Gln His Val Pro Gly Ser Pro Phe
                2215                2220                2225

CAG TTC ACC GTG GGG CCC CTA GGG GAA GGG GGA GCC CAC AAG GTC CGA      6897
Gln Phe Thr Val Gly Pro Leu Gly Glu Gly Gly Ala His Lys Val Arg
            2230                2235                2240

GCT GGG GGC CCT GGC CTG GAG AGA GCT GAA GCT GGA GTG CCA GCC GAA      6945
Ala Gly Gly Pro Gly Leu Glu Arg Ala Glu Ala Gly Val Pro Ala Glu
        2245                2250                2255

TTC AGT ATC TGG ACC CGG GAA GCT GGT GCT GGA GGC CTG GCC ATT GCT      6993
Phe Ser Ile Trp Thr Arg Glu Ala Gly Ala Gly Gly Leu Ala Ile Ala
    2260                2265                2270

GTC GAG GGC CCC AGC AAG GCT GAG ATC TCT TTT GAG GAC CGC AAG GAC      7041
Val Glu Gly Pro Ser Lys Ala Glu Ile Ser Phe Glu Asp Arg Lys Asp
2275                2280                2285                2290

GGC TCC TGT GGT GTG GCT TAT GTG GTC CAG GAG CCA GGT GAC TAC GAA      7089
Gly Ser Cys Gly Val Ala Tyr Val Val Gln Glu Pro Gly Asp Tyr Glu
                2295                2300                2305

GTC TCA GTC AAG TTC AAC GAG GAA CAC ATT CCC GAC AGC CCC TTC GTG      7137
Val Ser Val Lys Phe Asn Glu Glu His Ile Pro Asp Ser Pro Phe Val
            2310                2315                2320

GTG CCT GTG GCT TCT CCG TCT GGC GAC GCC CGC CGC CTC ACT GTT TCT      7185
Val Pro Val Ala Ser Pro Ser Gly Asp Ala Arg Arg Leu Thr Val Ser
        2325                2330                2335

AGC CTT CAG GAG TCA GGG CTA AAG GTC AAC CAG CCA GCC TCT TTT GCA      7233
Ser Leu Gln Glu Ser Gly Leu Lys Val Asn Gln Pro Ala Ser Phe Ala
    2340                2345                2350

GTC AGC CTG AAC GGG GCC AAG GGG GCG ATC GAT GCC AAG GTG CAC AGC      7281
Val Ser Leu Asn Gly Ala Lys Gly Ala Ile Asp Ala Lys Val His Ser
2355                2360                2365                2370
```

```
CCC TCA GGA GCC CTG GAG GAG TGC TAT GTC ACA GAA ATT GAC CAA GAT      7329
Pro Ser Gly Ala Leu Glu Glu Cys Tyr Val Thr Glu Ile Asp Gln Asp
                2375                2380                2385

AAG TAT GCT GTG CGC TTC ATC CCT CGG GAG AAT GGC GTT TAC CTG ATT      7377
Lys Tyr Ala Val Arg Phe Ile Pro Arg Glu Asn Gly Val Tyr Leu Ile
            2390                2395                2400

GAC GTC AAG TTC AAC GGT ACC CAC ATC CCT GGA AGC CCC TTC AAG ATC      7425
Asp Val Lys Phe Asn Gly Thr His Ile Pro Gly Ser Pro Phe Lys Ile
        2405                2410                2415

CGA GTT GGG GAG CCT GGG CAT GGA GGG GAC CCA GGC TTG GTG TCT GCT      7473
Arg Val Gly Glu Pro Gly His Gly Gly Asp Pro Gly Leu Val Ser Ala
    2420                2425                2430

TAC GGA GCA GGT CTG GAA GGC GGT GTC ACA GGG AAC CCA GCT GAG TTC      7521
Tyr Gly Ala Gly Leu Glu Gly Gly Val Thr Gly Asn Pro Ala Glu Phe
2435                2440                2445                2450

GTC GTG AAC ACG AGC AAT GCG GGA GCT GGT GCC CTG TCG GTG ACC ATT      7569
Val Val Asn Thr Ser Asn Ala Gly Ala Gly Ala Leu Ser Val Thr Ile
                2455                2460                2465

GAC GGC CCC TCC AAG GTG AAG ATG GAT TGC CAG GAG TGC CCT GAG GGC      7617
Asp Gly Pro Ser Lys Val Lys Met Asp Cys Gln Glu Cys Pro Glu Gly
            2470                2475                2480

TAC CGC GTC ACC TAT ACC CCC ATG GCA CCT GGC AGC TAC CTC ATC TCC      7665
Tyr Arg Val Thr Tyr Thr Pro Met Ala Pro Gly Ser Tyr Leu Ile Ser
        2485                2490                2495

ATC AAG TAC GGC GGC CCC TAC CAC ATT GGG GGC AGC CCC TTC AAG GCC      7713
Ile Lys Tyr Gly Gly Pro Tyr His Ile Gly Gly Ser Pro Phe Lys Ala
    2500                2505                2510

AAA GTC ACA GGC CCC CGT CTC GTC AGC AAC CAC AGC CTC CAC GAG ACA      7761
Lys Val Thr Gly Pro Arg Leu Val Ser Asn His Ser Leu His Glu Thr
2515                2520                2525                2530

TCA TCA GTG TTT GTA GAC TCT CTG ACC AAG GCC ACC TGT GCC CCC CAG      7809
Ser Ser Val Phe Val Asp Ser Leu Thr Lys Ala Thr Cys Ala Pro Gln
                2535                2540                2545

CAT GGG GCC CCG GGT CCT GGG CCT GCT GAC GCC AGC AAG GTG GTG GCC      7857
His Gly Ala Pro Gly Pro Gly Pro Ala Asp Ala Ser Lys Val Val Ala
            2550                2555                2560

AAG GGC CTG GGG CTG AGC AAG GCC TAC GTA GGC CAG AAG AGC AGC TTC      7905
Lys Gly Leu Gly Leu Ser Lys Ala Tyr Val Gly Gln Lys Ser Ser Phe
        2565                2570                2575

ACA GTA GAC TGC AGC AAA GCA GGC AAC AAC ATG CTG CTG GTG GGG GTT      7953
Thr Val Asp Cys Ser Lys Ala Gly Asn Asn Met Leu Leu Val Gly Val
    2580                2585                2590

CAT GGC CCA AGG ACC CCC TGC GAG GAG ATC CTG GTG AAG CAC GTG GGC      8001
His Gly Pro Arg Thr Pro Cys Glu Glu Ile Leu Val Lys His Val Gly
2595                2600                2605                2610

AGC CGG CTC TAC AGC GTG TCC TAC CTG CTC AAG GAC AAG GGG GAG TAC      8049
Ser Arg Leu Tyr Ser Val Ser Tyr Leu Leu Lys Asp Lys Gly Glu Tyr
                2615                2620                2625

ACA CTG GTG GTC AAA TGG GGG CAC GAG CAC ATC CCA GGC AGC CCC TAC      8097
Thr Leu Val Val Lys Trp Gly His Glu His Ile Pro Gly Ser Pro Tyr
            2630                2635                2640
```

```
CGC GTT GTG GTG CCC TGAGTCTGGG GCCCGTGCCA GCCGGCAGCC CCCAAGCCTG      8152
Arg Val Val Val Pro
        2645

CCCCGCTACC CAAGCAGCCC CGCCCTCTTC CCCTCAACCC CGGCCCAGGC CGCCCTGGCC    8212

GCCCGCCTGT CACTGCAGCT GCCCCTGCCC TGTGCCGTGC TGCGCTCACC TGCCTCCCCA    8272

GCCAGCCGCT GACCTCTCGG CTTTCACTTG GGCAGAGGGA GCCATTTGGT GGCGCTGCTT    8332

GTCTTCTTTG GTTCTGGGAG GGGTGAGGGA TGGGG                               8367
```

(2) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 2647 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

```
Met Ser Ser Ser His Ser Arg Ala Gly Gln Ser Ala Ala Gly Ala Ala
  1               5                  10                  15

Pro Gly Gly Gly Val Asp Thr Arg Asp Ala Glu Met Pro Ala Thr Glu
            20                  25                  30

Lys Asp Leu Ala Glu Asp Ala Pro Trp Lys Lys Ile Gln Gln Asn Thr
        35                  40                  45

Phe Thr Arg Trp Cys Asn Glu His Leu Lys Cys Val Ser Lys Arg Ile
    50                  55                  60

Ala Asn Leu Gln Thr Asp Leu Ser Asp Gly Leu Arg Leu Ile Ala Leu
65                  70                  75                  80

Leu Glu Val Leu Ser Gln Lys Lys Met His Arg Lys His Asn Gln Arg
                85                  90                  95

Pro Thr Phe Arg Gln Met Gln Leu Glu Asn Val Ser Val Ala Leu Glu
            100                 105                 110

Phe Leu Asp Arg Glu Ser Ile Lys Leu Val Ser Ile Asp Ser Lys Ala
        115                 120                 125

Ile Val Asp Gly Asn Leu Lys Leu Ile Leu Gly Leu Ile Trp Thr Leu
    130                 135                 140

Ile Leu His Tyr Ser Ile Ser Met Pro Met Trp Asp Glu Glu Glu Asp
145                 150                 155                 160

Glu Glu Ala Lys Lys Gln Thr Pro Lys Gln Arg Leu Leu Gly Trp Ile
                165                 170                 175

Gln Asn Lys Leu Pro Gln Leu Pro Ile Thr Asn Phe Ser Arg Asp Trp
            180                 185                 190

Gln Ser Gly Arg Ala Leu Gly Ala Leu Val Asp Ser Cys Ala Pro Gly
        195                 200                 205

Leu Cys Pro Asp Trp Asp Ser Trp Asp Ala Ser Lys Pro Val Thr Asn
    210                 215                 220

Ala Arg Glu Ala Met Gln Gln Ala Asp Asp Trp Leu Gly Ile Pro Gln
225                 230                 235                 240
```

Val Ile Thr Pro Glu Glu Ile Val Asp Pro Asn Val Asp Glu His Ser
245 250 255

Val Met Thr Tyr Leu Ser Gln Phe Pro Lys Ala Lys Leu Lys Pro Gly
260 265 270

Ala Pro Leu Arg Pro Lys Leu Asn Pro Lys Lys Ala Arg Ala Tyr Gly
275 280 285

Pro Gly Ile Glu Pro Thr Gly Asn Met Val Lys Lys Arg Ala Glu Phe
290 295 300

Thr Val Glu Thr Arg Ser Ala Gly Gln Gly Glu Val Leu Val Tyr Val
305 310 315 320

Glu Asp Pro Ala Gly His Gln Glu Glu Ala Lys Val Thr Ala Asn Asn
325 330 335

Asp Lys Asn Arg Thr Phe Ser Val Trp Tyr Val Pro Glu Val Thr Gly
340 345 350

Thr His Lys Val Thr Val Leu Phe Ala Gly Gln His Ile Ala Lys Ser
355 360 365

Pro Phe Glu Val Tyr Val Asp Lys Ser Gln Gly Asp Ala Ser Lys Val
370 375 380

Thr Ala Gln Gly Pro Gly Leu Glu Pro Ser Gly Asn Ile Ala Asn Lys
385 390 395 400

Thr Thr Tyr Phe Glu Ile Phe Thr Ala Gly Ala Gly Thr Gly Glu Val
405 410 415

Glu Val Val Ile Gln Asp Pro Met Gly Gln Lys Gly Thr Val Glu Pro
420 425 430

Gln Leu Glu Ala Arg Gly Asp Ser Thr Tyr Arg Cys Ser Tyr Gln Pro
435 440 445

Thr Met Glu Gly Val His Thr Val His Val Thr Phe Ala Gly Val Pro
450 455 460

Ile Pro Arg Ser Pro Tyr Thr Val Thr Val Gly Gln Ala Cys Asn Pro
465 470 475 480

Ser Ala Cys Arg Ala Val Gly Arg Gly Leu Gln Pro Lys Gly Val Arg
485 490 495

Val Lys Glu Thr Ala Asp Phe Lys Val Tyr Thr Lys Gly Ala Gly Ser
500 505 510

Gly Glu Leu Lys Val Thr Val Lys Gly Pro Lys Gly Glu Glu Arg Val
515 520 525

Lys Gln Lys Asp Leu Gly Asp Gly Val Tyr Gly Phe Glu Tyr Tyr Pro
530 535 540

Met Val Pro Gly Thr Tyr Ile Val Thr Ile Thr Trp Gly Gly Gln Asn
545 550 555 560

Ile Gly Arg Ser Pro Phe Glu Val Lys Val Gly Thr Glu Cys Gly Asn
565 570 575

Gln Lys Val Arg Ala Trp Gly Pro Gly Leu Glu Gly Gly Val Val Gly
580 585 590

Lys Ser Ala Asp Phe Val Val Glu Ala Ile Gly Asp Asp Val Gly Thr
595 600 605

Leu Gly Phe Ser Val Glu Gly Pro Ser Gln Ala Lys Ile Glu Cys Asp
610 615 620

Asp Lys Gly Asp Gly Ser Cys Asp Val Arg Tyr Trp Pro Gln Glu Ala
625 630 635 640

Gly Glu Tyr Ala Val His Val Leu Cys Asn Ser Glu Asp Ile Arg Leu
645 650 655

Ser Pro Phe Met Ala Asp Ile Arg Asp Ala Pro Gln Asp Phe His Pro
660 665 670

Asp Arg Val Lys Ala Arg Gly Pro Gly Leu Glu Lys Thr Gly Val Ala
675 680 685

Val Asn Lys Pro Ala Glu Phe Thr Val Asp Ala Lys His Gly Gly Lys
690 695 700

Ala Pro Leu Arg Val Gln Val Gln Asp Asn Glu Gly Cys Pro Val Glu
705 710 715 720

Ala Leu Val Lys Asp Asn Gly Asn Gly Thr Tyr Ser Cys Ser Tyr Val
725 730 735

Pro Arg Lys Pro Val Lys His Thr Ala Met Val Ser Trp Gly Gly Val
740 745 750

Ser Ile Pro Asn Ser Pro Phe Arg Val Asn Val Gly Ala Gly Ser His
755 760 765

Pro Asn Lys Val Lys Val Tyr Gly Pro Gly Val Ala Lys Thr Gly Leu
770 775 780

Lys Ala His Glu Pro Thr Tyr Phe Thr Val Asp Cys Ala Glu Ala Gly
785 790 795 800

Gln Gly Asp Val Ser Ile Gly Ile Lys Cys Ala Pro Gly Val Val Gly
805 810 815

Pro Ala Glu Ala Asp Ile Asp Phe Asp Ile Ile Arg Asn Asp Asn Asp
820 825 830

Thr Phe Thr Val Lys Tyr Thr Pro Arg Gly Ala Gly Ser Tyr Thr Ile
835 840 845

Met Val Leu Phe Ala Asp Gln Ala Thr Pro Thr Ser Pro Ile Arg Val
850 855 860

Lys Val Glu Pro Ser His Asp Ala Ser Lys Val Lys Ala Glu Gly Pro
865 870 875 880

Gly Leu Ser Arg Thr Gly Val Glu Leu Gly Lys Pro Thr His Phe Thr
885 890 895

Val Asn Ala Lys Ala Ala Gly Lys Gly Lys Leu Asp Val Gln Phe Ser
900 905 910

Gly Leu Thr Lys Gly Asp Ala Val Arg Asp Val Asp Ile Ile Asp His
915 920 925

His Asp Asn Thr Tyr Thr Val Lys Tyr Thr Pro Val Gln Gln Gly Pro
930 935 940

Val Gly Val Asn Val Thr Tyr Gly Gly Asp Pro Ile Pro Lys Ser Pro
945 950 955 960

Phe Ser Val Ala Val Ser Pro Ser Leu Asp Leu Ser Lys Ile Lys Val
965 970 975

Ser Gly Leu Gly Glu Lys Val Asp Val Gly Lys Asp Gln Glu Phe Thr
980 985 990

Val Lys Ser Lys Gly Ala Gly Gly Gln Gly Lys Val Ala Ser Lys Ile
995 1000 1005

Val Gly Pro Ser Gly Ala Ala Val Pro Cys Lys Val Glu Pro Gly Leu
1010 1015 1020

Gly Ala Asp Asn Ser Val Val Arg Phe Leu Pro Arg Glu Glu Gly Pro
1025 1030 1035 1040

Tyr Glu Val Glu Val Thr Tyr Asp Gly Val Pro Val Pro Gly Ser Pro
1045 1050 1055

Phe Pro Leu Glu Ala Val Ala Pro Thr Lys Pro Ser Lys Val Lys Ala
1060 1065 1070

Phe Gly Pro Gly Leu Gln Gly Gly Ser Ala Gly Ser Pro Ala Arg Phe
1075 1080 1085

Thr Ile Asp Thr Lys Gly Ala Gly Thr Gly Gly Leu Gly Leu Thr Val
1090 1095 1100

Glu Gly Pro Cys Glu Ala Gln Leu Glu Cys Leu Asp Asn Gly Asp Gly
1105 1110 1115 1120

Thr Cys Ser Val Ser Tyr Val Pro Thr Glu Pro Gly Asp Tyr Asn Ile
1125 1130 1135

Asn Ile Leu Phe Ala Asp Thr His Ile Pro Gly Ser Pro Phe Lys Ala
1140 1145 1150

His Val Val Pro Cys Phe Asp Ala Ser Lys Val Lys Cys Ser Gly Pro
1155 1160 1165

Gly Leu Glu Arg Ala Thr Ala Gly Glu Val Gly Gln Phe Gln Val Asp
1170 1175 1180

Cys Ser Ser Ala Gly Ser Ala Glu Leu Thr Ile Glu Ile Cys Ser Glu
1185 1190 1195 1200

Ala Gly Leu Pro Ala Glu Val Tyr Ile Gln Asp His Gly Asp Gly Thr
1205 1210 1215

His Thr Ile Thr Tyr Ile Pro Leu Cys Pro Gly Ala Tyr Thr Val Thr
1220 1225 1230

Ile Lys Tyr Gly Gly Gln Pro Val Pro Asn Phe Pro Ser Lys Leu Gln
1235 1240 1245

Val Glu Pro Ala Val Asp Thr Ser Gly Val Gln Cys Tyr Gly Pro Gly
1250 1255 1260

Ile Glu Gly Gln Gly Val Phe Arg Glu Ala Thr Thr Glu Phe Ser Val
1265 1270 1275 1280

Asp Ala Arg Ala Leu Thr Gln Thr Gly Gly Pro His Val Lys Ala Arg
1285 1290 1295

Val Ala Asn Pro Ser Gly Asn Leu Thr Glu Thr Tyr Val Gln Asp Arg
1300 1305 1310

Gly Asp Gly Met Tyr Lys Val Glu Tyr Thr Pro Tyr Glu Glu Gly Leu
1315 1320 1325

His Ser Val Asp Val Thr Tyr Asp Gly Ser Pro Val Pro Ser Ser Pro
1330 1335 1340

Phe Gln Val Pro Val Thr Glu Gly Cys Asp Pro Ser Arg Val Arg Val
1345 1350 1355 1360

His Gly Pro Gly Ile Gln Ser Gly Thr Thr Asn Lys Pro Asn Lys Phe
1365 1370 1375

Thr Val Glu Thr Arg Gly Ala Gly Thr Gly Gly Leu Gly Leu Ala Val
1380 1385 1390

Glu Gly Pro Ser Glu Ala Lys Met Ser Cys Met Asp Asn Lys Asp Gly
1395 1400 1405

Ser Cys Ser Val Glu Tyr Ile Pro Tyr Glu Ala Gly Thr Tyr Ser Leu
1410 1415 1420

Asn Val Thr Tyr Gly Gly His Gln Val Pro Gly Ser Pro Phe Lys Val
1425 1430 1435 1440

Pro Val His Asp Val Thr Asp Ala Ser Lys Val Lys Cys Ser Gly Pro
1445 1450 1455

Gly Leu Ser Pro Gly Met Val Arg Ala Asn Leu Pro Gln Ser Phe Gln
1460 1465 1470

Val Asp Thr Ser Lys Ala Gly Val Ala Pro Leu Gln Val Lys Val Gln
1475 1480 1485

Gly Pro Lys Gly Leu Val Glu Pro Val Asp Val Val Asp Asn Ala Asp
1490 1495 1500

Gly Thr Gln Thr Val Asn Tyr Val Pro Ser Arg Glu Gly Pro Tyr Ser
1505 1510 1515 1520

Ile Ser Val Leu Tyr Gly Asp Glu Glu Val Pro Arg Ser Pro Phe Lys
1525 1530 1535

Val Lys Val Leu Pro Thr His Asp Ala Ser Lys Val Lys Ala Ser Gly
1540 1545 1550

Pro Gly Leu Asn Thr Thr Gly Val Pro Ala Ser Leu Pro Val Glu Phe
1555 1560 1565

Thr Ile Asp Ala Lys Asp Ala Gly Glu Gly Leu Leu Ala Val Gln Ile
1570 1575 1580

Thr Asp Pro Glu Gly Lys Pro Lys Lys Thr His Ile Gln Asp Asn His
1585 1590 1595 1600

Asp Gly Thr Tyr Thr Val Ala Tyr Val Pro Asp Val Thr Gly Arg Tyr
1605 1610 1615

Thr Ile Leu Ile Lys Tyr Gly Gly Asp Glu Ile Pro Phe Ser Pro Tyr
1620 1625 1630

Arg Val Arg Ala Val Pro Thr Gly Asp Ala Ser Lys Cys Thr Val Thr
1635 1640 1645

Val Ser Ile Gly Gly His Gly Leu Gly Ala Gly Ile Gly Pro Thr Ile
1650 1655 1660

Gln Ile Gly Glu Glu Thr Val Ile Thr Val Asp Thr Lys Ala Ala Gly
1665 1670 1675 1680

Lys Gly Lys Val Thr Cys Thr Val Cys Thr Pro Asp Gly Ser Glu Val
1685 1690 1695

Asp Val Asp Val Val Glu Asn Glu Asp Gly Thr Phe Asp Ile Phe Tyr
1700 1705 1710

Thr Ala Pro Gln Pro Gly Lys Tyr Val Ile Cys Val Arg Phe Gly Gly
1715 1720 1725

Glu His Val Pro Asn Ser Pro Phe Gln Val Thr Ala Leu Ala Gly Asp
1730 1735 1740

Gln Pro Ser Val Gln Pro Pro Leu Arg Ser Gln Gln Leu Ala Pro Gln
1745 1750 1755 1760

Tyr Thr Tyr Ala Gln Gly Gly Gln Gln Thr Trp Ala Pro Glu Arg Pro
1765 1770 1775

Leu Val Gly Val Asn Gly Leu Asp Val Thr Ser Leu Arg Pro Phe Asp
1780 1785 1790

Leu Val Ile Pro Phe Thr Ile Lys Lys Gly Glu Ile Thr Gly Glu Val
1795 1800 1805

Arg Met Pro Ser Gly Lys Val Ala Gln Pro Thr Ile Thr Asp Asn Lys
1810 1815 1820

Asp Gly Thr Val Thr Val Arg Tyr Ala Pro Ser Glu Ala Gly Leu His
1825 1830 1835 1840

Glu Met Asp Ile Arg Tyr Asp Asn Met His Ile Pro Gly Ser Pro Leu
1845 1850 1855

Gln Phe Tyr Val Asp Tyr Val Asn Cys Gly His Val Thr Ala Tyr Gly
1860 1865 1870

Pro Gly Leu Thr His Gly Val Val Asn Lys Pro Ala Thr Phe Thr Val
1875 1880 1885

Asn Thr Lys Asp Ala Gly Glu Gly Gly Leu Ser Leu Ala Ile Glu Gly
1890 1895 1900

Pro Ser Lys Ala Glu Ile Ser Cys Thr Asp Asn Gln Asp Gly Thr Cys
1905 1910 1915 1920

Ser Val Ser Tyr Leu Pro Val Leu Pro Gly Asp Tyr Ser Ile Leu Val
1925 1930 1935

Lys Tyr Asn Glu Gln His Val Pro Gly Ser Pro Phe Thr Ala Arg Val
1940 1945 1950

Thr Gly Asp Asp Ser Met Arg Met Ser His Leu Lys Val Gly Ser Ala
1955 1960 1965

Ala Asp Ile Pro Ile Asn Ile Ser Glu Thr Asp Leu Ser Leu Leu Thr
1970 1975 1980

Ala Thr Val Val Pro Pro Ser Gly Arg Glu Glu Pro Cys Leu Leu Lys
1985 1990 1995 2000

Arg Leu Arg Asn Gly His Val Gly Ile Ser Phe Val Pro Lys Glu Thr
2005 2010 2015

Gly Glu His Leu Val His Val Lys Lys Asn Gly Gln His Val Ala Ser
2020 2025 2030

Ser Pro Ile Pro Val Val Ile Ser Gln Ser Glu Ile Gly Asp Ala Ser
2035 2040 2045

Arg Val Arg Val Ser Gly Gln Gly Leu His Glu Gly His Thr Phe Glu
2050 2055 2060

Pro Ala Glu Phe Ile Ile Asp Thr Arg Asp Ala Gly Tyr Gly Gly Leu
2065 2070 2075 2080

Ser Leu Ser Ile Glu Gly Pro Ser Lys Val Asp Ile Asn Thr Glu Asp
2085 2090 2095

Leu Glu Asp Gly Thr Cys Arg Val Thr Tyr Cys Pro Thr Glu Pro Gly
2100 2105 2110

Asn Tyr Ile Ile Asn Ile Lys Phe Ala Asp Gln His Val Pro Gly Ser
2115 2120 2125

Pro Phe Ser Val Lys Val Thr Gly Glu Gly Arg Val Lys Glu Ser Ile
2130 2135 2140

Thr Arg Arg Arg Arg Ala Pro Ser Val Ala Asn Val Gly Ser His Cys
2145 2150 2155 2160

Asp Leu Ser Leu Lys Ile Pro Glu Ile Ser Ile Gln Asp Met Thr Ala
2165 2170 2175

Gln Val Thr Ser Pro Ser Gly Lys Thr His Glu Ala Glu Ile Val Glu
2180 2185 2190

Gly Glu Asn His Thr Tyr Cys Ile Arg Phe Val Pro Ala Glu Met Gly
2195 2200 2205

Thr His Thr Val Ser Val Lys Tyr Lys Gly Gln His Val Pro Gly Ser
2210 2215 2220

Pro Phe Gln Phe Thr Val Gly Pro Leu Gly Glu Gly Gly Ala His Lys
2225 2230 2235 2240

Val Arg Ala Gly Gly Pro Gly Leu Glu Arg Ala Glu Ala Gly Val Pro
2245 2250 2255

Ala Glu Phe Ser Ile Trp Thr Arg Glu Ala Gly Ala Gly Gly Leu Ala
2260 2265 2270

Ile Ala Val Glu Gly Pro Ser Lys Ala Glu Ile Ser Phe Glu Asp Arg
2275 2280 2285

Lys Asp Gly Ser Cys Gly Val Ala Tyr Val Val Gln Glu Pro Gly Asp
2290 2295 2300

Tyr Glu Val Ser Val Lys Phe Asn Glu Glu His Ile Pro Asp Ser Pro
2305 2310 2315 2320

Phe Val Val Pro Val Ala Ser Pro Ser Gly Asp Ala Arg Arg Leu Thr
2325 2330 2335

Val Ser Ser Leu Gln Glu Ser Gly Leu Lys Val Asn Gln Pro Ala Ser
2340 2345 2350

Phe Ala Val Ser Leu Asn Gly Ala Lys Gly Ala Ile Asp Ala Lys Val
2355 2360 2365

His Ser Pro Ser Gly Ala Leu Glu Glu Cys Tyr Val Thr Glu Ile Asp
2370 2375 2380

Gln Asp Lys Tyr Ala Val Arg Phe Ile Pro Arg Glu Asn Gly Val Tyr
2385 2390 2395 2400

Leu Ile Asp Val Lys Phe Asn Gly Thr His Ile Pro Gly Ser Pro Phe
2405 2410 2415

Lys Ile Arg Val Gly Glu Pro Gly His Gly Gly Asp Pro Gly Leu Val
2420 2425 2430

Ser Ala Tyr Gly Ala Gly Leu Glu Gly Gly Val Thr Gly Asn Pro Ala
2435 2440 2445

Glu Phe Val Val Asn Thr Ser Asn Ala Gly Ala Gly Ala Leu Ser Val
2450 2455 2460

Thr Ile Asp Gly Pro Ser Lys Val Lys Met Asp Cys Gln Glu Cys Pro
2465 2470 2475 2480

Glu Gly Tyr Arg Val Thr Tyr Thr Pro Met Ala Pro Gly Ser Tyr Leu
2485 2490 2495

Ile Ser Ile Lys Tyr Gly Gly Pro Tyr His Ile Gly Gly Ser Pro Phe
2500 2505 2510

Lys Ala Lys Val Thr Gly Pro Arg Leu Val Ser Asn His Ser Leu His
2515 2520 2525

Glu Thr Ser Ser Val Phe Val Asp Ser Leu Thr Lys Ala Thr Cys Ala
2530 2535 2540

Pro Gln His Gly Ala Pro Gly Pro Gly Pro Ala Asp Ala Ser Lys Val
2545 2550 2555 2560

Val Ala Lys Gly Leu Gly Leu Ser Lys Ala Tyr Val Gly Gln Lys Ser
2565 2570 2575

Ser Phe Thr Val Asp Cys Ser Lys Ala Gly Asn Asn Met Leu Leu Val
2580 2585 2590

Gly Val His Gly Pro Arg Thr Pro Cys Glu Glu Ile Leu Val Lys His
2595 2600 2605

Val Gly Ser Arg Leu Tyr Ser Val Ser Tyr Leu Leu Lys Asp Lys Gly
2610 2615 2620

Glu Tyr Thr Leu Val Val Lys Trp Gly His Glu His Ile Pro Gly Ser
2625 2630 2635 2640

Pro Tyr Arg Val Val Val Pro
2645

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1125 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION: 1..1125

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

```
TTC GAG ATG TCT GAC TTC ATC GTG GAC ACA AGG GAT GCA GGT TAT GGT          48
Phe Glu Met Ser Asp Phe Ile Val Asp Thr Arg Asp Ala Gly Tyr Gly
 1               5                  10                  15

GGC ATA TCC TTG GCG GTG GAA GGC CCC AGC AAA GTG GAC ATC CAG ACG          96
Gly Ile Ser Leu Ala Val Glu Gly Pro Ser Lys Val Asp Ile Gln Thr
            20                  25                  30

GAG GAC CTG GAA GAT GGC ACC TGC AAA GTC TCC TAC TTC CCT ACC GTG         144
Glu Asp Leu Glu Asp Gly Thr Cys Lys Val Ser Tyr Phe Pro Thr Val
        35                  40                  45

CCT GGG GTT TAT ATC GTC TCC ACC AAA TTC GCT GAC GAG CAC GTG CCT         192
Pro Gly Val Tyr Ile Val Ser Thr Lys Phe Ala Asp Glu His Val Pro
    50                  55                  60

GGG AGC CCA TTT ACC GTG AAG ATC AGT GGG GAG GGA AGA GTC AAA GAG         240
Gly Ser Pro Phe Thr Val Lys Ile Ser Gly Glu Gly Arg Val Lys Glu
65                  70                  75                  80

AGC ATC ACC CGC ACC AGT CGG GCC CCG TCC GTG GCC ACT GTC GGG AGC         288
Ser Ile Thr Arg Thr Ser Arg Ala Pro Ser Val Ala Thr Val Gly Ser
                85                  90                  95

ATT TGT GAC CTG AAC CTC AAA ATC CCA GAA ATC AAC AGC AGT GAT ATG         336
Ile Cys Asp Leu Asn Leu Lys Ile Pro Glu Ile Asn Ser Ser Asp Met
            100                 105                 110

TCG GCC CAC GTC ACC AGC CCC TCT GGC CGT GTG ACT GAG GCA GAG ATT         384
Ser Ala His Val Thr Ser Pro Ser Gly Arg Val Thr Glu Ala Glu Ile
        115                 120                 125

GTG CCC ATG GGG AAG AAC TCA CAC TGC GTC CGG TTT GTG CCC CAG GAG         432
Val Pro Met Gly Lys Asn Ser His Cys Val Arg Phe Val Pro Gln Glu
    130                 135                 140

ATG GGC GTG CAC ACG GTC AGC GTC AAG TAC CGT GGG CAG CAC GTC ACC         480
Met Gly Val His Thr Val Ser Val Lys Tyr Arg Gly Gln His Val Thr
145                 150                 155                 160

GGC AGC CCC TTC CAG TTC ACC GTG GGG GCA CTT GGT GAA GGA GGC GCC         528
Gly Ser Pro Phe Gln Phe Thr Val Gly Ala Leu Gly Glu Gly Gly Ala
                165                 170                 175

CAC AAG GTG CGG GCA GGA GGC CCT GGC CTG GAG AGA GGA GAA GCG GGA         576
His Lys Val Arg Ala Gly Gly Pro Gly Leu Glu Arg Gly Glu Ala Gly
            180                 185                 190

GTC CCA GCT GAG TTC AGC ATT TGG ACC CGG GAA GCA GGC GCT GGA GGC         624
Val Pro Ala Glu Phe Ser Ile Trp Thr Arg Glu Ala Gly Ala Gly Gly
        195                 200                 205

CTC TCC ATC GCT GTT GAG GGC CCC AGT AAG GCC GAG ATT ACA TTC GAT         672
Leu Ser Ile Ala Val Glu Gly Pro Ser Lys Ala Glu Ile Thr Phe Asp
    210                 215                 220

GAC CAT AAA AAT GGG TCG TGC GGT GTA TCT TAT ATT GCC CAA GAG CCT         720
Asp His Lys Asn Gly Ser Cys Gly Val Ser Tyr Ile Ala Gln Glu Pro
225                 230                 235                 240
```

```
GGT AAC TAC GAG GTG TCC ATC AAG TTC AAT GAT GAG CAC ATC CCG GAA      768
Gly Asn Tyr Glu Val Ser Ile Lys Phe Asn Asp Glu His Ile Pro Glu
                245                 250                 255

AGC CCC TAC CTG GTG CCG GTC ATC GCA CCC TCC GAC GAC GCC CGC CGC      816
Ser Pro Tyr Leu Val Pro Val Ile Ala Pro Ser Asp Asp Ala Arg Arg
            260                 265                 270

CTC ACT GTT ATG AGC CTT CAG GAA TCG GGA TTA AAA GTT AAC CAG CCA      864
Leu Thr Val Met Ser Leu Gln Glu Ser Gly Leu Lys Val Asn Gln Pro
        275                 280                 285

GCA TCC TTT GCT ATA AGG TTG AAT GGC GCA AAA GGC AAG ATT GAT GCA      912
Ala Ser Phe Ala Ile Arg Leu Asn Gly Ala Lys Gly Lys Ile Asp Ala
    290                 295                 300

AAG GTG CAC AGC CCC TCT GGA GCC GTG GAG GAG TGC CAC GTG TCT GAG      960
Lys Val His Ser Pro Ser Gly Ala Val Glu Glu Cys His Val Ser Glu
305                 310                 315                 320

CTG GAG CCA GAT AAG TAT GCT GTT CGC TTC ATC CCT CAT GAG AAT GGT     1008
Leu Glu Pro Asp Lys Tyr Ala Val Arg Phe Ile Pro His Glu Asn Gly
                325                 330                 335

GTC CAC ACC ATC GAT GTC AAG TTC AAT GGG AGC CAC GTG GTT GGA AGC     1056
Val His Thr Ile Asp Val Lys Phe Asn Gly Ser His Val Val Gly Ser
            340                 345                 350

CCC TTC AAA GTG CGC GTT GGG GAG CCT GGA CAA GCG GGG AAC CCT GCC     1104
Pro Phe Lys Val Arg Val Gly Glu Pro Gly Gln Ala Gly Asn Pro Ala
        355                 360                 365

CTG GTG TCC GCC TAT GGC ACG                                        1125
Leu Val Ser Ala Tyr Gly Thr
    370                 375
```

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 375 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

```
Phe Glu Met Ser Asp Phe Ile Val Asp Thr Arg Asp Ala Gly Tyr Gly
  1               5                  10                  15

Gly Ile Ser Leu Ala Val Glu Gly Pro Ser Lys Val Asp Ile Gln Thr
            20                  25                  30

Glu Asp Leu Glu Asp Gly Thr Cys Lys Val Ser Tyr Phe Pro Thr Val
        35                  40                  45

Pro Gly Val Tyr Ile Val Ser Thr Lys Phe Ala Asp Glu His Val Pro
    50                  55                  60

Gly Ser Pro Phe Thr Val Lys Ile Ser Gly Glu Gly Arg Val Lys Glu
65                  70                  75                  80

Ser Ile Thr Arg Thr Ser Arg Ala Pro Ser Val Ala Thr Val Gly Ser
                85                  90                  95
```

```
Ile Cys Asp Leu Asn Leu Lys Ile Pro Glu Ile Asn Ser Ser Asp Met
            100                 105                 110

Ser Ala His Val Thr Ser Pro Ser Gly Arg Val Thr Glu Ala Glu Ile
        115                 120                 125

Val Pro Met Gly Lys Asn Ser His Cys Val Arg Phe Val Pro Gln Glu
    130                 135                 140

Met Gly Val His Thr Val Ser Val Lys Tyr Arg Gly Gln His Val Thr
145                 150                 155                 160

Gly Ser Pro Phe Gln Phe Thr Val Gly Ala Leu Gly Glu Gly Gly Ala
                165                 170                 175

His Lys Val Arg Ala Gly Gly Pro Gly Leu Glu Arg Gly Glu Ala Gly
            180                 185                 190

Val Pro Ala Glu Phe Ser Ile Trp Thr Arg Glu Ala Gly Ala Gly Gly
        195                 200                 205

Leu Ser Ile Ala Val Glu Gly Pro Ser Lys Ala Glu Ile Thr Phe Asp
    210                 215                 220

Asp His Lys Asn Gly Ser Cys Gly Val Ser Tyr Ile Ala Gln Glu Pro
225                 230                 235                 240

Gly Asn Tyr Glu Val Ser Ile Lys Phe Asn Asp Glu His Ile Pro Glu
                245                 250                 255

Ser Pro Tyr Leu Val Pro Val Ile Ala Pro Ser Asp Asp Ala Arg Arg
            260                 265                 270

Leu Thr Val Met Ser Leu Gln Glu Ser Gly Leu Lys Val Asn Gln Pro
        275                 280                 285

Ala Ser Phe Ala Ile Arg Leu Asn Gly Ala Lys Gly Lys Ile Asp Ala
    290                 295                 300

Lys Val His Ser Pro Ser Gly Ala Val Glu Glu Cys His Val Ser Glu
305                 310                 315                 320

Leu Glu Pro Asp Lys Tyr Ala Val Arg Phe Ile Pro His Glu Asn Gly
                325                 330                 335

Val His Thr Ile Asp Val Lys Phe Asn Gly Ser His Val Val Gly Ser
            340                 345                 350

Pro Phe Lys Val Arg Val Gly Glu Pro Gly Gln Ala Gly Asn Pro Ala
        355                 360                 365

Leu Val Ser Ala Tyr Gly Thr
    370                 375
```

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1494 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:
(A) NAME/KEY: CDS
(B) LOCATION: 1..1449

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

```
AAA ATC CCA GAA ATC AAC AGC AGT GAT ATG TCG GCC CAC GTC ACC AGC          48
Lys Ile Pro Glu Ile Asn Ser Ser Asp Met Ser Ala His Val Thr Ser
 1               5                  10                  15

CCC TCT GGC CGT GTG ACT GAG GCA GAG ATT GTG CCC ATG GGG AAG AAC          96
Pro Ser Gly Arg Val Thr Glu Ala Glu Ile Val Pro Met Gly Lys Asn
            20                  25                  30

TCA CAC TGC GTC CGG TTT GTG CCC CAG GAG ATG GGC GTG CAC ACG GTC         144
Ser His Cys Val Arg Phe Val Pro Gln Glu Met Gly Val His Thr Val
        35                  40                  45

AGC GTC AAG TAC CGT GGG CAG CAC GTC ACC GGC AGC CCC TTC CAG TTC         192
Ser Val Lys Tyr Arg Gly Gln His Val Thr Gly Ser Pro Phe Gln Phe
    50                  55                  60

ACC GTG GGG GCA CTT GGT GAA GGA GGC GCC CAC AAG GTG CGG GCA GGA         240
Thr Val Gly Ala Leu Gly Glu Gly Gly Ala His Lys Val Arg Ala Gly
65                  70                  75                  80

GGC CCT GGC CTG GAG AGA GGA GAA GCG GGA GTC CCA GCT GAG TTC AGC         288
Gly Pro Gly Leu Glu Arg Gly Glu Ala Gly Val Pro Ala Glu Phe Ser
                85                  90                  95

ATT TGG ACC CGG GAA GCA GGC GCT GGA GGC CTC TCC ATC GCT GTT GAG         336
Ile Trp Thr Arg Glu Ala Gly Ala Gly Gly Leu Ser Ile Ala Val Glu
            100                 105                 110

GGC CCC AGT AAG GCC GAG ATT ACA TTC GAT GAC CAT AAA AAT GGG TCG         384
Gly Pro Ser Lys Ala Glu Ile Thr Phe Asp Asp His Lys Asn Gly Ser
        115                 120                 125

TGC GGT GTA TCT TAT ATT GCC CAA GAG CCT GGT AAC TAC GAG GTG TCC         432
Cys Gly Val Ser Tyr Ile Ala Gln Glu Pro Gly Asn Tyr Glu Val Ser
    130                 135                 140

ATC AAG TTC AAT GAT GAG CAC ATC CCG GAA AGC CCC TAC CTG GTG CCG         480
Ile Lys Phe Asn Asp Glu His Ile Pro Glu Ser Pro Tyr Leu Val Pro
145                 150                 155                 160

GTC ATC GCA CCC TCC GAC GAC GCC CGC CGC CTC ACT GTT ATG AGC CTT         528
Val Ile Ala Pro Ser Asp Asp Ala Arg Arg Leu Thr Val Met Ser Leu
                165                 170                 175

CAG GAA TCG GGA TTA AAA GTT AAC CAG CCA GCA TCC TTT GCT ATA AGG         576
Gln Glu Ser Gly Leu Lys Val Asn Gln Pro Ala Ser Phe Ala Ile Arg
            180                 185                 190

TTG AAT GGC GCA AAA GGC AAG ATT GAT GCA AAG GTG CAC AGC CCC TCT         624
Leu Asn Gly Ala Lys Gly Lys Ile Asp Ala Lys Val His Ser Pro Ser
        195                 200                 205

GGA GCC GTG GAG GAG TGC CAC GTG TCT GAG CTG GAG CCA GAT AAG TAT         672
Gly Ala Val Glu Glu Cys His Val Ser Glu Leu Glu Pro Asp Lys Tyr
    210                 215                 220

GCT GTT CGC TTC ATC CCT CAT GAG AAT GGT GTC CAC ACC ATC GAT GTC         720
Ala Val Arg Phe Ile Pro His Glu Asn Gly Val His Thr Ile Asp Val
225                 230                 235                 240
```

```
AAG TTC AAT GGG AGC CAC GTG GTT GGA AGC CCC TTC AAA GTG CGC GTT          768
Lys Phe Asn Gly Ser His Val Val Gly Ser Pro Phe Lys Val Arg Val
                245                 250                 255

GGG GAG CCT GGA CAA GCG GGG AAC CCT GCC CTG GTG TCC GCC TAT GGC          816
Gly Glu Pro Gly Gln Ala Gly Asn Pro Ala Leu Val Ser Ala Tyr Gly
            260                 265                 270

ACG GGA CTC GAA GGG GGN ACC ACA GGT ATC CAG TCG GAA TTC TTT ATT          864
Thr Gly Leu Glu Gly Xaa Thr Thr Gly Ile Gln Ser Glu Phe Phe Ile
        275                 280                 285

AAC ACC ACC CGA GCA GGT CCA GGG ACA TTA TCC GTC ACC ATC GAA GGC          912
Asn Thr Thr Arg Ala Gly Pro Gly Thr Leu Ser Val Thr Ile Glu Gly
    290                 295                 300

CCA TCC AAG GTT AAA ATG GAT TGC CAG GAA ACA CCT GAA GGG TAC AAA          960
Pro Ser Lys Val Lys Met Asp Cys Gln Glu Thr Pro Glu Gly Tyr Lys
305                 310                 315                 320

GTC ATG TAC ACC CCC ATG GCT CCT GGT AAC TAC CTG ATC AGT GTC AAA         1008
Val Met Tyr Thr Pro Met Ala Pro Gly Asn Tyr Leu Ile Ser Val Lys
                325                 330                 335

TAC GGT GGG CCC AAC CAC ATC GTG GGC AGT CCC TTC AAG GCC AAG GTG         1056
Tyr Gly Gly Pro Asn His Ile Val Gly Ser Pro Phe Lys Ala Lys Val
            340                 345                 350

ACT GGC CAG CGT CTA GTT AGC CCT GGC TCA GCC AAC GAG ACC TCA TCC         1104
Thr Gly Gln Arg Leu Val Ser Pro Gly Ser Ala Asn Glu Thr Ser Ser
        355                 360                 365

ATC CTG GTG GAG TCA GTG ACC AGG TCG TCT ACA GAG ACC TGC TAT AGC         1152
Ile Leu Val Glu Ser Val Thr Arg Ser Ser Thr Glu Thr Cys Tyr Ser
    370                 375                 380

GCC ATT CCC AAG GCA TCC TCG GAC GCC AGC AAG GTG ACC TCT AAG GGG         1200
Ala Ile Pro Lys Ala Ser Ser Asp Ala Ser Lys Val Thr Ser Lys Gly
385                 390                 395                 400

GCA GGG CTC TCA AAG GCC TTT GTG GGC CAG AAG AGT TCC TTC CTG GTG         1248
Ala Gly Leu Ser Lys Ala Phe Val Gly Gln Lys Ser Ser Phe Leu Val
                405                 410                 415

GAC TGC AGC AAA GCT GGC TCC AAC ATG CTG CTG ATC GGG GTC CAT GGG         1296
Asp Cys Ser Lys Ala Gly Ser Asn Met Leu Leu Ile Gly Val His Gly
            420                 425                 430

CCC ACC ACC CCC TGC GAG GAG GTC TCC ATG AAG CAT GTA GGC AAC CAG         1344
Pro Thr Thr Pro Cys Glu Glu Val Ser Met Lys His Val Gly Asn Gln
        435                 440                 445

CAA TAC AAC GTC ACA TAC GTC GTC AAG GAG AGG GGC GAT TAT GTG CTG         1392
Gln Tyr Asn Val Thr Tyr Val Val Lys Glu Arg Gly Asp Tyr Val Leu
    450                 455                 460

GCT GTG AAG TGG GGG GAG GAA CAC ATC CCT GGC AGC CCT TTT CAT GTC         1440
Ala Val Lys Trp Gly Glu Glu His Ile Pro Gly Ser Pro Phe His Val
465                 470                 475                 480

ACA GTG CCT TAAAACAGTT TTCTCAAATC CTGGAAAAAA AAAAAAAAAA AAAAA           1494
Thr Val Pro
```

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 483 amino acids
(B) TYPE: amino acid
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

```
Lys Ile Pro Glu Ile Asn Ser Ser Asp Met Ser Ala His Val Thr Ser
 1               5                  10                  15

Pro Ser Gly Arg Val Thr Glu Ala Glu Ile Val Pro Met Gly Lys Asn
            20                  25                  30

Ser His Cys Val Arg Phe Val Pro Gln Glu Met Gly Val His Thr Val
        35                  40                  45

Ser Val Lys Tyr Arg Gly Gln His Val Thr Gly Ser Pro Phe Gln Phe
    50                  55                  60

Thr Val Gly Ala Leu Gly Glu Gly Gly Ala His Lys Val Arg Ala Gly
65                  70                  75                  80

Gly Pro Gly Leu Glu Arg Gly Glu Ala Gly Val Pro Ala Glu Phe Ser
                85                  90                  95

Ile Trp Thr Arg Glu Ala Gly Ala Gly Gly Leu Ser Ile Ala Val Glu
            100                 105                 110

Gly Pro Ser Lys Ala Glu Ile Thr Phe Asp Asp His Lys Asn Gly Ser
        115                 120                 125

Cys Gly Val Ser Tyr Ile Ala Gln Glu Pro Gly Asn Tyr Glu Val Ser
    130                 135                 140

Ile Lys Phe Asn Asp Glu His Ile Pro Glu Ser Pro Tyr Leu Val Pro
145                 150                 155                 160

Val Ile Ala Pro Ser Asp Asp Ala Arg Arg Leu Thr Val Met Ser Leu
                165                 170                 175

Gln Glu Ser Gly Leu Lys Val Asn Gln Pro Ala Ser Phe Ala Ile Arg
            180                 185                 190

Leu Asn Gly Ala Lys Gly Lys Ile Asp Ala Lys Val His Ser Pro Ser
        195                 200                 205

Gly Ala Val Glu Glu Cys His Val Ser Glu Leu Glu Pro Asp Lys Tyr
    210                 215                 220

Ala Val Arg Phe Ile Pro His Glu Asn Gly Val His Thr Ile Asp Val
225                 230                 235                 240

Lys Phe Asn Gly Ser His Val Val Gly Ser Pro Phe Lys Val Arg Val
                245                 250                 255

Gly Glu Pro Gly Gln Ala Gly Asn Pro Ala Leu Val Ser Ala Tyr Gly
            260                 265                 270

Thr Gly Leu Glu Gly Xaa Thr Thr Gly Ile Gln Ser Glu Phe Phe Ile
        275                 280                 285

Asn Thr Thr Arg Ala Gly Pro Gly Thr Leu Ser Val Thr Ile Glu Gly
    290                 295                 300
```

```
Pro Ser Lys Val Lys Met Asp Cys Gln Glu Thr Pro Glu Gly Tyr Lys
305                 310                 315                 320

Val Met Tyr Thr Pro Met Ala Pro Gly Asn Tyr Leu Ile Ser Val Lys
                325                 330                 335

Tyr Gly Gly Pro Asn His Ile Val Gly Ser Pro Phe Lys Ala Lys Val
            340                 345                 350

Thr Gly Gln Arg Leu Val Ser Pro Gly Ser Ala Asn Glu Thr Ser Ser
        355                 360                 365

Ile Leu Val Glu Ser Val Thr Arg Ser Ser Thr Glu Thr Cys Tyr Ser
    370                 375                 380

Ala Ile Pro Lys Ala Ser Ser Asp Ala Ser Lys Val Thr Ser Lys Gly
385                 390                 395                 400

Ala Gly Leu Ser Lys Ala Phe Val Gly Gln Lys Ser Ser Phe Leu Val
                405                 410                 415

Asp Cys Ser Lys Ala Gly Ser Asn Met Leu Leu Ile Gly Val His Gly
            420                 425                 430

Pro Thr Thr Pro Cys Glu Glu Val Ser Met Lys His Val Gly Asn Gln
        435                 440                 445

Gln Tyr Asn Val Thr Tyr Val Val Lys Glu Arg Gly Asp Tyr Val Leu
    450                 455                 460

Ala Val Lys Trp Gly Glu Glu His Ile Pro Gly Ser Pro Phe His Val
465                 470                 475                 480

Thr Val Pro
```

(2) INFORMATION FOR SEQ ID NO:13:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 53 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

```
Tyr Arg Leu Ser Val Glu Ile Tyr Asp Arg Arg Glu Tyr Ser Arg Phe
1               5                   10                  15

Glu Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu
            20                  25                  30

Tyr Lys Ser Ala Ile Thr Thr Thr Ile Asn Pro Arg Phe Gln Glu Ala
        35                  40                  45

Asp Ser Pro Thr Leu
    50
```

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 31 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

Tyr Arg Leu Ser Val Glu Ile Tyr Asp Arg Arg Glu Tyr Ser Arg Phe
1 5 10 15

Glu Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro
20 25 30

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 36 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Tyr Arg Leu Ser Val Glu Ile Tyr Asp Arg Arg Glu Tyr Ser Arg Phe
1 5 10 15

Glu Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu
20 25 30

Tyr Lys Ser Ala
35

(2) INFORMATION FOR SEQ ID NO:16:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 43 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

Tyr Arg Leu Ser Val Glu Ile Tyr Asp Arg Arg Glu Tyr Ser Arg Phe
1 5 10 15

Glu Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu
20 25 30

Tyr Lys Ser Ala Ile Thr Thr Thr Ile Asn Pro
35 40

(2) INFORMATION FOR SEQ ID NO:17:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 19 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

Tyr Arg Leu Ser Val Glu Ile Tyr Asp Arg Arg Glu Tyr Ser Arg Phe
1 5 10 15

Glu Lys Glu

(2) INFORMATION FOR SEQ ID NO:18:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 15 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

Tyr Arg Leu Ser Val Glu Ile Tyr Asp Arg Arg Glu Tyr Ser Arg
1 5 10 15

(2) INFORMATION FOR SEQ ID NO:19:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

GATGGCACTT TTGTACTAAG GATTACTGTC CTG 33

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

ATTGATGGTG GTCGTCTAGG CACTTTTGTA GAG 33

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

GTCTGCCTCT TGAAACTAAG GATTGATGGT GGT 33

(2) INFORMATION FOR SEQ ID NO:22:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

CCAGTTGAGT TGTTGCTACT CCTTCTCAAA GCG 33

(2) INFORMATION FOR SEQ ID NO:23:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 34 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

GTTGCTGCTC CTTCTCCTAG CGACTGTATT CCCG 34

(2) INFORMATION FOR SEQ ID NO:24:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 53 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

Tyr Arg Leu Ala Val Glu Ile Tyr Asp Arg Arg Glu Tyr Ser Arg Phe Glu
1 5 10 15

Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu Tyr
20 25 30

Lys Ser Ala Ile Thr Thr Thr Ile Asn Pro Arg Phe Gln Glu Ala Asp
35 40 45

Ser Pro Thr Leu
50

(2) INFORMATION FOR SEQ ID NO:25:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 53 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

Tyr Arg Leu Ser Val Gln Ile Tyr Asp Arg Arg Glu Tyr Ser Arg Phe Glu
1 5 10 15

Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu Tyr
20 25 30

Lys Ser Ala Ile Thr Thr Thr Ile Asn Pro Arg Phe Gln Glu Ala Asp
35 40 45

Ser Pro Thr Leu
50

(2) INFORMATION FOR SEQ ID NO:26:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 53 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

Tyr Arg Leu Ser Val Glu Ile Tyr Asp Ala Arg Glu Tyr Ser Arg Phe Glu
1 5 10 15

Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu Tyr
20 25 30

Lys Ser Ala Ile Thr Thr Thr Ile Asn Pro Arg Phe Gln Glu Ala Asp
35 40 45

Ser Pro Thr Leu
50

(2) INFORMATION FOR SEQ ID NO:27:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 53 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

Tyr Arg Leu Ser Val Glu Ile Tyr Asp Arg Arg Glu Tyr Ala Arg Phe Glu
1 5 10 15

Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu Tyr
20 25 30

Lys Ser Ala Ile Thr Thr Thr Ile Asn Pro Arg Phe Gln Glu Ala Asp
35 40 45

Ser Pro Thr Leu
50

(2) INFORMATION FOR SEQ ID NO:28:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

GTCATAGATT TCCACCGCGA GCCGGTATCC GAG 33

(2) INFORMATION FOR SEQ ID NO:29:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 35 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

CCGGCCGTCA TAGATTTGCA CCGAGAGCCG GTATC 35

(2) INFORMATION FOR SEQ ID NO:30:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

GCGACTGTAT TCCCGCGCGT CATAGATTTC CAC 33

(2) INFORMATION FOR SEQ ID NO:31:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

CTCCTTCTCA AAGCGCGCGT ATTCCCGGCG GTC 33

(2) INFORMATION FOR SEQ ID NO:32:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

ATATCTCGAG AGTATACCCC CATGGCACCT 30

(2) INFORMATION FOR SEQ ID NO:33:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 28 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucelic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

ATATCTCGAG TCAGGGCACC ACAACGCG 28

(2) INFORMATION FOR SEQ ID NO:34:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 32 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

ATATCTCGAG TCAGCTGCTC TTCTGGCCCT AC 32

(2) INFORMATION FOR SEQ ID NO:35:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 28 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

ATATCATATG TACACCCCCA TGGCTCCT 28

(2) INFORMATION FOR SEQ ID NO:36:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 27 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

ATAGGATCCT CAGCCCCACA AACAGGC 27

(2) INFORMATION FOR SEQ ID NO:37:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

GGTGGCCTTG GTCAGAGAGT CTACAAACAC 30

(2) INFORMATION FOR SEQ ID NO:38:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs

(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

GGCGCTATAG CAGGTCTCTG TAGACGACCT 30

(2) INFORMATION FOR SEQ ID NO:39:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 11 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

Tyr Arg Leu Ser Val Glu Ile Tyr Asp Arg Arg
1 5 10

(2) INFORMATION FOR SEQ ID NO:40:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 49 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

Tyr Arg Leu Ser Val Glu Ile Tyr Asp Arg Arg Glu Tyr Ser Arg Phe
1 5 10 15

Glu Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu
20 25 30

Tyr Lys Ser Ala Ile Thr Thr Thr Ile Asn Pro Arg Phe Gln Glu Ala
35 40 45

Asp

(2) INFORMATION FOR SEQ ID NO:41:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 45 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

Tyr Arg Leu Ser Val Glu Ile Tyr Asp Arg Arg Glu Tyr Ser Arg Phe
1 5 10 15

Glu Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu
20 25 30

Tyr Lys Ser Ala Ile Thr Thr Thr Ile Asn Pro Arg Phe
35 40 45

(2) INFORMATION FOR SEQ ID NO:42:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 36 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

CTCAAAGCGA CTGTACTACC GGCGGTCATA GATTTC 36

(2) INFORMATION FOR SEQ ID NO:43:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 34 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

CTTTCAAGAG GCAGACTGAC CCACTCTCTG AGGA 34

(2) INFORMATION FOR SEQ ID NO:44:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 34 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

TCCTCAGAGA GTGGGTCAGT CTGCCTCTTG AAAG 34

(2) INFORMATION FOR SEQ ID NO:45:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 34 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:

CATCAATCCT CGCTTTTGAG AGGCAGACAG TCCC 34

(2) INFORMATION FOR SEQ ID NO:46:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 34 base pairs

(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:

GGGACTGTCT GCCTCTCAAA AGCGAGGATT GATC 34

(2) INFORMATION FOR SEQ ID NO:47:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 53 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:

Tyr Arg Leu Ser Phe Glu Ile Tyr Asp Arg Arg Glu Tyr Ser Arg Phe
1 5 10 15

Glu Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu
20 25 30

Tyr Lys Ser Ala Ile Thr Thr Thr Ile Asn Pro Arg Phe Gln Glu Ala
35 40 45

Asp Ser Pro Thr Leu
50

(2) INFORMATION FOR SEQ ID NO:48:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 53 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

Tyr Arg Leu Ser Val Glu Phe Tyr Asp Arg Arg Glu Tyr Ser Arg Phe
1 5 10 15

Glu Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu
20 25 30

Tyr Lys Ser Ala Ile Thr Thr Thr Ile Asn Pro Arg Phe Gln Glu Ala
35 40 45

Asp Ser Pro Thr Leu
50

(2) INFORMATION FOR SEQ ID NO:49:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 53 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:

Tyr Arg Leu Ser Val Glu Ile Phe Asp Arg Arg Glu Tyr Ser Arg Phe
1 5 10 15

Glu Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu
20 25 30

Tyr Lys Ser Ala Ile Thr Thr Thr Ile Asn Pro Arg Phe Gln Glu Ala
35 40 45

Asp Ser Pro Thr Leu
50

(2) INFORMATION FOR SEQ ID NO:50

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 53 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50

Tyr Arg Leu Ser Val Glu Ile Tyr Ala Arg Arg Glu Tyr Ser Arg Phe
1 5 10 15

Glu Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu
20 25 30

Tyr Lys Ser Ala Ile Thr Thr Thr Ile Asn Pro Arg Phe Gln Glu Ala
35 40 45

Asp Ser Pro Thr Leu
50

(2) INFORMATION FOR SEQ ID NO:51

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 53 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: not relevant
(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:51

Tyr Arg Leu Ser Val Glu Ile Tyr Asp Arg Ala Glu Tyr Ser Arg Phe
1 5 10 15

Glu Lys Glu Gln Gln Gln Leu Asn Trp Lys Gln Asp Ser Asn Pro Leu
20 25 30

Tyr Lys Ser Ala Ile Thr Thr Thr Ile Asn Pro Arg Phe Gln Glu Ala
35 40 45

Asp Ser Pro Thr Leu
50

(2) INFORMATION FOR SEQ ID NO:52

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:52

GCGGTCATAG ATTTCAAACG AGAGCCGGTA TCC 33

(2) INFORMATION FOR SEQ ID NO:53:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

TTCCCGGCGG TCATAGAATT CCACCGAGAG CCG 33

(2) INFORMATION FOR SEQ ID NO:54:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

GTATTCCCGG CGGTCAAAGA TTTCCACCGA GAG 33

(2) INFORMATION FOR SEQ ID NO:55:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:

ACTGTATTCC CGGCGCGCAT AGATTTCCAC CGA 33

(2) INFORMATION FOR SEQ ID NO:56:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 33 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:

AAAGCGACTG TATTCCGCGC GGTCATAGAT TTC 33

(2) INFORMATION FOR SEQ ID NO:57:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 27 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:

CCCGAATTCA CAGGCCCCCG TCTCGTC 27

(2) INFORMATION FOR SEQ ID NO:58:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 37 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:

CCCGAATTCC TCGAGTCAGG GCACCACAAC GCGGTAG 37

(2) INFORMATION FOR SEQ ID NO:59:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 31 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:59:

CCCCCTCGAG GCTACTGCAT CCGCTTTGTT C 31

(2) INFORMATION FOR SEQ ID NO:60:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:

CCCCTCGAGT CAGTAAGCAG ACACCAAGCC 30

(2) INFORMATION FOR SEQ ID NO:61:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 27 base pairs
(B) TYPE: nucleic acid

(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:61:

CCCCTCGAGC CAGCCTCTTT TGCAGTC 27

(2) INFORMATION FOR SEQ ID NO:62:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 27 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:

CCCCTCGAGC CAGCCGAATT CAGTATC 27

(2) INFORMATION FOR SEQ ID NO:63:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 31 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:

CCCCTCGAGT CACGCCCCCT TGGCCCCCTT C 31

(2) INFORMATION FOR SEQ ID NO:64:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 30 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:

CCCCCTCGAG GCGGCACGGG ACTCGAAGGG 30

(2) INFORMATION FOR SEQ ID NO:65:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 27 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

CCCCTCGAGT TAAGGCACTG TGACATG 27

WHAT IS CLAIMED IS:

1. A purified and isolated FLP-1 polynucleotide encoding the human FLP-1 amino acid sequence set out in SEQ ID NO: 2.

2. The polynucleotide of claim 1 which is a DNA molecule.

3. The DNA of claim 2 which is selected from the groups consisting of cDNA, genomic DNA, partially synthesized DNA, and wholly synthesized DNA.

4. A DNA molecule comprising the human FLP-1 polypeptide encoding sequence set out in SEQ ID: 1.

5. A DNA molecule encoding a FLP-1 polypeptide selected from the group consisting of:

a) the human DNA sequence set out in SEQ ID NO:1;

b) a DNA molecule which hybridizes under stringent conditions to the noncoding strand of the protein coding portion of (a); and

c) a DNA molecule that would hybridize to the DNA of (a) but for the degeneracy of the genetic code.

6. A DNA expression construct comprising the DNA molecule of claim 2, 4, or 5.

7. A host cell transformed or transfected with the expression construct of claim 6.

8. A method for producing a FLP-1 polypeptide comprising growing the host cell of claim 7 in a suitable medium and isolating a FLP-1 polypeptide from the host cell or the medium of its growth.

9. A purified and isolated FLP-1 polypeptide having the amino acid sequence set out in SEQ ID NO: 2.

10. An antibody which specifically binds to FLP-1.

11. The antibody of claim 10 which is a monoclonal antibody.

12. The antibody of claim 10 which is a polyclonal antibody.

13. The antibody of claim 10 which is a recombinant antibody.

14. An anti-idiotype antibody which specifically binds to the monoclonal antibody of claim 11.

15. A hybridoma cell line producing the monoclonal antibody of claim 11.

16. A cell line producing the recombinant antibody of claim 13.

17. A method for identifying a compound that modulates binding between FLP-1 and β_7 integrin comprising the steps of:

a) contacting FLP-1 or a fragment thereof, with β_7 integrin or a fragment thereof;

b) measuring binding between FLP-1 or a fragment thereof, and β_7 integrin or a fragment thereof;

c) measuring binding between FLP-1 or a fragment thereof, and β_7 integrin or a fragment thereof in the presence of a test compound, and

d) comparing the measurement in step (b) and the measurement in step (c) wherein a decrease in binding in step (c) indicates the test compound in an inhibitor of binding, and an increase in binding in step (c) indicates the test compound is an activator of binding.

18. A method for isolating a polynucleotide encoding a protein that binds to FLP-1 comprising the steps of:

a) transforming or transfecting appropriate host cells with a DNA construct comprising a reporter gene under the control of a promoter regulated by a transcription factor having a DNA-binding domain and an activating domain;

b) expressing in said host cells a first hybrid DNA sequence encoding a first fusion of part or all of FLP-1 and either the DNA binding domain or the activating domain of said transcription factor;

c) expressing in said host cells a library of second hybrid DNA sequences encoding second fusions of part or all of putative FLP-1 binding proteins and the DNA binding domain or activating domain of said transcription factor which is not incorporated in said first fusion;

d) detecting binding of an FLP-1 binding protein to FLP-1 in a particular host cell by detecting the production of reporter gene product in said host cell; and

e) isolating second hybrid DNA sequences encoding FLP-1 binding protein from said particular host cell.

INTERNATIONAL SEARCH REPORT

[redacted] International Application No
[redacted]PCT/US 97/00100

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 C12N15/12 C12N5/10 C07K14/47 C07K16/18 C12Q1/68
G01N33/50

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 C12N C07K G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	THE JOURNAL OF CELL BIOLOGY, vol. 111, September 1990, pages 1089-1105, XP000673362 GORLIN, J.B., ET AL . : "HUMAN ENDOTHELIAL ACTIN-BINDING PROTEIN (ABP-280, NONMUSCLE FILAMIN): A MOLECULAR LEAF SPRING" see the whole document ---	5-8, 10-15
X	WO 92 13000 A (AMRAD CORP LTD) 6 August 1992 see the whole document ---	5-8
	-/--	

[X] Further documents are listed in the continuation of box C.

[X] Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

2

Date of the actual completion of the international search	Date of mailing of the international search report
7 May 1997	14. 05. 97

Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl, Fax (+ 31-70) 340-3016	Holtorf, S

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Inter[redacted] Application No
PC[redacted]US 97/00100

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	CELL, vol. 76, 28 January 1994, pages 301-314, XP002030607 SPRINGER, T.A.: "TRAFFIC SIGNALS FOR LYMPHOCYTE RECIRCULATION AND LEUKOCYTE EMIGRATION : THE MULTISTEP PARADIGM" cited in the application see the whole document -----	1-18

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/US 97/00100

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9213000 A	06-08-92	NONE	